

Lake Chemistry and Physical Data For Selected North Slope, Alaska, Lakes: March 2008



Ice Expansion crack at Mine Site B, photo by D. Reichardt

by
Kristie Holland, Horacio Toniolo, Dan Reichardt, Chad Cormack,
Greta Myerchin, Amanda Blackburn, and Michael Lilly

April 2008

North Slope Lakes Hydrologic Project
Report No. INE/WERC 08.10

Water and Environmental
Research Center



Water and Environmental
Research Center



Lake Chemistry and Physical Data For Selected North Slope, Alaska, Lakes: March 2008

By:

Kristie Holland¹, Horacio Toniolo², Dan Reichardt¹, Chad Cormack², Greta Myerchin², Amanda Blackburn¹, and Michael Lilly¹

A report on research sponsored by:

- U.S. Department of Energy
- National Energy Technology Laboratory
- BP Exploration (Alaska), Inc.
- ConocoPhillips Alaska, Inc.
- Bureau of Land Management
- Geo-Watersheds Scientific

April 2008

North Slope Lakes Hydrologic Project

Report Number INE/WERC 08.10

¹Geo-Watersheds Scientific, Fairbanks, Alaska

²University of Alaska Fairbanks

Recommended Citation:

Holland, K.M., Toniolo, H., Reichardt, D., Cormack, C., Myerchin, G., Blackburn, A.J., and Lilly, M.R., 2008. Lake Chemistry and Physical Data For Selected North Slope, Alaska, Lakes: March 2008. University of Alaska Fairbanks, Water and Environmental Research Center, Report INE/WERC 08.10, Fairbanks, Alaska, 7 pp.

Fairbanks, Alaska
April 2008

For additional information write to:

Publications,
Water and Environmental Research Center
University of Alaska Fairbanks
Fairbanks, Alaska 99775
www.uaf.edu/water/

For Project Information write to:

Daniel White – Project Manager
Box 5860, WERC. UAF
Fairbanks, AK 99775-5860
907-474-6222
ffdmw@uaf.edu

TABLE OF CONTENTS

TABLE OF CONTENTS.....	i
LIST OF FIGURES	i
LIST OF TABLES.....	i
DISCLAIMER	ii
CONVERSION FACTORS, UNITS, WATER QUALITY UNITS, VERTICAL AND HORIZONTAL DATUM, ABBREVIATIONS AND SYMBOLS	iii
PROJECT COOPERATORS.....	vii
ACKNOWLEDGEMENTS.....	vii
INTRODUCTION	1
TRIP OBJECTIVES	2
PROCEDURES.....	3
SELECTED RESULTS	5
SUMMARY	6
REFERENCES	6
APPENDIX A. WATER QUALITY FIELD SAMPLING FORMS.....	A-1
APPENDIX B. WATER QUALITY METER CALIBRATION FORMS.....	B-1
APPENDIX C. ELEVATION SURVEY FORMS.....	C-1
APPENDIX D. SNOW SURVEY FORMS.....	D-1

LIST OF FIGURES

Figure 1. Location of study lakes in the NPR-A, Alpine, Kuparuk, and Prudhoe Bay field operating areas, North Slope, Alaska.....	2
Figure 2. Setting up for elevation survey at Mine Site B, photo by D. Reichardt	4

LIST OF TABLES

Table 1. In-Situ Troll 9000 calibration quality control criteria.	4
Table 2. Ice thickness, Median DO Concentration, Median Actual Conductance and Monthly Water Drop for North Slope lakes in mid-March.	5

DISCLAIMER

The contents of this report reflect the views of the authors, who are responsible for the accuracy of the data presented herein. This research was funded by the U.S. Department of Energy (DOE) and the National Energy Technology Laboratory (NETL). Funding and support was also provided by the Bureau of Land Management (BLM), BP Exploration (Alaska) Inc. (BPX), ConocoPhillips Alaska, Inc. (CPA), and Geo-Watersheds Scientific (GWS). The contents of the report do not necessarily reflect the views or policies of the DOE, NETL, BLM, BPX, CPA, GWS, or any local sponsor. This work does not constitute a standard, specification, or regulation.

The use of trade and firm names in this document is for the purpose of identification only and does not imply endorsement by the University of Alaska Fairbanks (UAF), DOE, NETL, BLM, BPX, CPA, GWS, or other project sponsors.

CONVERSION FACTORS, UNITS, WATER QUALITY UNITS, VERTICAL AND HORIZONTAL DATUM, ABBREVIATIONS AND SYMBOLS

Conversion Factors

Multiply	By	To obtain
inch (in.)	<u>Length</u> 25.4	millimeter (mm)
inch (in.)	2.54	centimeter (cm)
foot (ft)	0.3048	meter (m)
mile (mi)	1.609	kilometer (km)
Acre	<u>Area</u> 43559.999	square feet (ft^2)
Acre	0.405	hectare (ha)
Square foot (ft^2)	3.587e-8	square mile (mi^2)
square mile (mi^2)	2.590	square kilometer (km^2)
gallon (gal)	<u>Volume</u> 3.785	liter (L)
gallon (gal)	3785.412	milliliter (mL)
Cubic foot (ft^3)	28.317	liter (L)
Acre-ft	1233	Cubic meter (m^3)
foot per day (ft/d)	<u>Velocity and Discharge</u> 0.3048	meter per day (m/d)
Square foot per day (ft^2/d)	.0929	square meter per day (m^2/d)
cubic foot per second (ft^3/s)	0.02832	cubic meter per second (m^3/sec)
foot per day (ft/d)	<u>Hydraulic Conductivity</u> 0.3048	meter per day (m/d)
foot per day (ft/d)	0.00035	centimeter per second (cm/sec)
meter per day (m/d)	0.00115	centimeter per second (cm/sec)
foot per foot (ft/ft)	<u>Hydraulic Gradient</u> 5280	foot per mile (ft/mi)
foot per mile (ft/mi)	0.1894	meter per kilometer (m/km)
pound per square inch (lb/in^2)	<u>Pressure</u> 6.895	kilopascal (kPa)

Units

For the purposes of this report, both English and Metric (SI) units were employed. The choice of "primary" units employed depended on common reporting standards for a particular property or parameter measured. Whenever possible, the approximate value in the "secondary" units was also provided in parentheses. Thus, for instance, stream flow was reported in cubic feet per second (cfs) followed by the equivalent value in cubic meters per second (m^3/s) in parentheses.

Physical and Chemical Water-Quality Units:

Temperature:

Water and air temperature are given in degrees Celsius ($^{\circ}C$) and in degrees Fahrenheit ($^{\circ}F$).

Degrees Celsius can be converted to degrees Fahrenheit by use of the following equation:

$$^{\circ}F = 1.8(^{\circ}C) + 32$$

Specific electrical conductance (conductivity):

Conductivity of water is expressed in microsiemens per centimeter at $25^{\circ}C$ ($\mu S/cm$). This unit is equivalent to microohms per centimeter at $25^{\circ}C$.

Milligrams per liter (mg/L) or micrograms per liter ($\mu g/L$):

Milligrams per liter is a unit of measurement indicating the concentration of chemical constituents in solution as weight (milligrams) of solute per unit volume (liter) of water. One thousand micrograms per liter is equivalent to one milligram per liter. For concentrations less than 7,000 mg/L, the numerical value is the same as for concentrations in parts per million.

Millivolt (mV):

A unit of electromotive force equal to one thousandth of a volt.

Vertical Datum:

In this report, "sea level" refers to the National Geodetic Vertical Datum of 1929 (NGVD of 1929), a geodetic datum derived from a general adjustment of the first-order level nets of both the United States and Canada, formerly called *Sea Level Datum of 1929*.

Horizontal Datum:

The horizontal datum for all locations in this report is the North American Datum of 1983 or North American Datum of 1927.

Abbreviations, Acronyms, and Symbols

AC	Actual conductivity
ADOT&PF	Alaska Department of Transportation and Public Facilities
ASTM	American Society for Testing and Materials
atm	atmospheres
C	Celsius
DO	Dissolved oxygen
DVM	digital voltage multi-meter
e-tape	electric tape
F	Fahrenheit (°F).
ft	feet
GWS	Geo-Watersheds Scientific
GWSI	USGS Ground-Water Site Inventory
km ²	square kilometers
kPa	kilopascal
lb/in ²	pounds per square inch
m	meters
mg/L	milligrams per liter, equivalent to ppm
µg/L	micrograms per liter
mi ²	square miles
mm	millimeters
µS/cm	microsiemens per centimeter
mV	Millivolt
NGVD	National Geodetic Vertical Datum
NTU	Nephelometric Turbidity Units
NWIS	National Water Information System
ORP	oxygen-reduction potential
ppm	parts per million, equivalent to mg/L
SC25	specific conductance at 25°C
SWE	Snow Water Equivalent
QA	quality assurance
QC	quality control
UAF	University of Alaska Fairbanks
USACE	U.S. Army Corps of Engineers, Alaska District
USGS	U.S. Geological Survey
WERC	Water and Environmental Research Center
WWW	World Wide Web
YSI	Yellow Springs Instruments

Lake Nomenclature

KDA	Kuparuk Dead Arm (Prudhoe Bay field, serves Prudhoe Bay field operations)
MSB	Mine Site B (Prudhoe Bay field, serves Milne Point and Kuparuk field operations)
L9312	Lake L9312 (Alpine field, serves Alpine field operations)
L9817	Lake L9817 (Alpine field, serves Alpine field operations)
K113	Lake K113 (Prudhoe Bay field, not currently used for field operations)

PROJECT COOPERATORS

The North Slope Lakes project covers a large area of the North Slope and benefits from a number of positive partnerships, all contributing to the overall project objectives.

- BP Exploration (Alaska) Inc.
- ConocoPhillips Alaska, Inc. (CPA)
- Bureau of Land Management
- Alaska Department of Natural Resources
- The Nature Conservancy
- Northern Alaska Environmental Center

ACKNOWLEDGEMENTS

This project was funded by cooperative agreement number DE-FC26_01NT41248, from the U.S. Department of Energy's (DOE) Arctic Energy Office to the University of Alaska Fairbanks Arctic Energy Technology Development Laboratory (AETDL). Field coordination and logistics support were provided by BP Exploration (Alaska) Inc. and ConocoPhillips Alaska. Additional support was provided by other project cooperators, North Slope Borough, Bureau of Land Management (BLM), National Weather Service, and Geo-Watersheds Scientific (GWS), in the form of financial and in-kind match.

Lake Chemistry and Physical Data For Selected North Slope, Alaska, Lakes: March 2008

INTRODUCTION

The University of Alaska Fairbanks (UAF) Water and Environmental Research Center (WERC) and Geo-Watersheds Scientific (GWS), together with project cooperators, initiated a study in the Fall of 2002 (Phase One) to obtain baseline information about the physical and chemical characteristics of North Slope tundra lakes. The project was extended in 2005 (Phase Two). The location of the study lakes changed and was expanded to include other reservoirs so as to further develop the understanding and simulation tools necessary for water-source management. K113 is an un-pumped lake in the Kuparuk oilfield and is sampled on selected field trips during the year. L9312 is a natural lake studied in the Alpine operations area. L9817 is a natural lake in eastern NPRA, west of Nuiqsut. L9817 had been used in past years for ice-road construction, but was not pumped during the 2005-06 or 2006-07 winters, however, it was heavily pumped throughout the 2007-08 winter. Two reservoir systems (mine sites) were added to the study in 2005. Mine Site B, also known as Six-mile Lake, is located near the Milne Point facility at the intersection of the Spine Road with the Milne Point access road and has two cells connected to Milne Creek. The Kuparuk Reservoir System (Kuparuk Deadarm Lakes) has nine reservoirs. The three southernmost reservoir cells (1-3) are included in the study to observe ground-water and surface-water interactions between each cells and the adjacent Kuparuk River. Study location can be seen in Figure 1.

Water-quality and hydrologic data is collected in the field during monthly visits to the lakes and water samples are collected from priority locations for further analysis at the UAF-WERC chemistry laboratories. The purposes of this publication are to 1) report data collected for the month of March 2008, 2) summarize accomplished field trip objectives.




Figure 1. Location of study lakes in the NPR-A, Alpine, Kuparuk, and Prudhoe Bay field operating areas, North Slope, Alaska.

TRIP OBJECTIVES

The goal of each sampling trip is to collect physical and chemical data from each study lake. For each lake, a series of holes are drilled at designated sampling locations or a raft is taken onto the water when conditions are ice-free. Logistical, personnel, and weather constraints, can limit the amount of time available in the field for sampling. A project workplan was distributed before the trip outlining the sampling schedule (Lilly and others, 2008). In March 2008, we focused on the following locations/tasks:

1. L9312, Alpine Facility
 - Measure field water-quality parameters at standard locations.
 - Survey water levels to local elevation control.
 - Conduct snow surveys at standard locations.
 - Automated data collection and station maintenance.
2. L9817, NPR-A
 - Measure field water-quality parameters at standard locations.
 - Survey water levels to local elevation control.
 - Conduct snow survey at standard locations.
 - Automated data collection and station maintenance.
3. Kuparuk Deadarm Lakes, (Cells 1-3)
 - Measure field water-quality parameters in cells 1, 2, and 3.
 - Survey water levels of KDA 1-3 to local elevation control.
 - Conduct snow surveys at standard locations.
 - Automated data collection station maintenance.
4. Mine Site B, Milne-Point Operating Area
 - Measure field water-quality parameters on North and South cels.
 - Survey water levels to local elevation control.
 - Conduct snow surveys at standard locations.
5. Prudhoe Bay Operating Area, Primary Objective
 - Betty Pingo: Automated data collection station maintenance.
 - Conduct snow survey at standard location.

PROCEDURES

Water Chemistry Sampling

All field work follows the specified health, safety, and environmental guidelines outlined by BPX and CPA (White and Lilly, 2008 *a, b, c*). Physical measurements of water depth were

taken at each sampling location. Water quality parameters such as temperature, pH, turbidity, oxygen reduction potential (ORP), conductivity, and dissolved oxygen (DO) were obtained by using an In-Situ Troll 9000 (submersible meter), at multiple depths throughout the water column. The precision with which physical measurements were reported takes into account field conditions. The calibration of each parameter was checked before and after each day of sampling using the criteria in Table 1.

Table 1. In-Situ Troll 9000 calibration quality control criteria.

Parameter	Standards used	Acceptable deviation from calibration standard value
Turbidity	Factory calibrated	± 2 (NTU)
pH	4.01, 7.0, 10.0	± 0.2
Conductivity	447 ($\mu\text{s}/\text{cm}$)	within 10%
100% DO	100 % saturated	within 10%
0% DO	0 % saturated solution	within 0.3 mg/L
ORP	In-Situ Quick Cal 224 mV	within 10%



Figure 2. Setting up for elevation survey at Mine Site B, photo by D. Reichardt

Snow Surveys

Small-scale snow depth measurements were conducted in “L” shaped patterns on lake surface and/or tundra surface at predetermined locations (Figure 2). Snow depth measurements were taken every meter for twenty-five meters, then turning 90 degrees, and continuing for another twenty-five meters. Snow samples were also collected for density measurements with an Adirondack snow sampler. Five densities were collected from points on tundra and lake and averaged to establish a representative density.

SELECTED RESULTS

Sampling occurred at the Kuparuk Deadarm Reservoirs, Mine Site B, L9817 and L9312 during the March field campaign. Table 2 summarizes conditions at “Priority Sampling Sites”. These locations have more historical data than other locations on the lakes, and have been chosen as representative of the deeper portion of the respective lakes. All of the sites (KDA, MSB, L9312, and L9817) have shown an increase in ice thickness during the March sampling trip, and all but Mine Site B displayed an increase in water levels at the time of sampling.

Table 2. Ice thickness, Median DO Concentration, Median Actual Conductance and Monthly Water Drop for North Slope lakes in mid-March.

Sampling Site	Ice Thickness [ft; (m)]	Median DO Concentration [mg/L]	Median Actual Conductivity [µS/cm]	Water level change since mid February [ft; (m)]
KDA1-CT	5.65; (1.72)	15.84	127.0	+2.57; (0.78)
KDA2-CT	5.55; (1.69)	16.21	138.0	+0.61; (0.19)
KDA3-CT	5.23; (1.59)	14.59	168.9	+0.22; (0.06)
MSBS-CT	5.05; (1.54)	11.98	176.6	-0.68; (0.20)
MSBN-CT	5.50; (1.67)	14.23	167.0	-0.48; (0.21)
L9312-Raft B	4.51; (1.37)	12.65	86.61	+3.91; (1.19)
L9817-1	4.90; (1.49)	0.54	931.2	+0.27; (0.08)

SUMMARY

Continuous monitoring of water quality parameters and spatial distribution of snow cover at North Slope lakes throughout the winter will help in the understanding and development of simulation tools necessary for water resource management. As water levels drop during the winter, it is important to identify the changing water chemistry as well as the potential spring recharge. This information is necessary for permitting agencies as well as the industry professionals who depend on this resource for facility use and ice road/pad construction. Through monthly hydrologic assessments, water chemistry testing, and water sample analysis, we will continue to answer some of the questions brought forth on the effects of mid-winter pumping of North Slope tundra lakes.

REFERENCES

- Holland, K., Reichardt, D., Lilly, M.R. 2008. A Workplan for Meteorological Station Maintenance, Lake Chemistry Sampling, and Surveying at Study Lakes in Alpine, Kuparuk River, and Prudhoe Bay Areas: March 2008. Water and Environmental Research Center, University of Alaska Fairbanks. 15 pages.
- Holland, K.M., Blackburn, A.J., and Lilly, M.R., 2008. Lake Chemistry and Physical Data For Selected North Slope, Alaska, Lakes: February 2008. University of Alaska Fairbanks, Water and Environmental Research Center, Report INE/WERC 08.09, Fairbanks, Alaska, 6 pp.
- White, D.M., and Lilly, M.R. 2008 *a.* BPX: Health, Safety, and Environmental Interface Document. Water and Environmental Research Center, University of Alaska Fairbanks. 4 p.
- White, D.M., and Lilly, M.R. 2008 *b.* BPX: Health, Safety, and Environmental Plan. Water and Environmental Research Center, University of Alaska Fairbanks. 6 p.

White, D.M., and Lilly, M.R. 2008 *c.* ConocoPhillips Alaska, Inc.: Health, Safety, and Environmental Plan. Water and Environmental Research Center, University of Alaska Fairbanks. 5 p.

APPENDIX A. WATER QUALITY FIELD SAMPLING FORMS

The following forms report the data collected with the water quality meters during field sampling.

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: L9312 Raft B
 Date: 3/11/08 Time: 10:50

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°19.995'</u>	Easting:	<u>W150°56.918'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>10.85</u>	Ice Thickness (ft):	<u>4.15</u>		
Freeboard (ft):	<u>0.25</u>	Snow Depth (ft):	<u>0.50</u>		
Elev. (BPMSL +/- .02):	<u>7.81</u>	Survey By:	<u>CC/HT</u>	Date:	<u>3/11/08</u> Time: <u>13:35</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check		Post-Sampling QAQC Check	
MULTI	GWS	IN-SITU Troll 9000		33033	PASS		PASS	
Parameters								
Time:	11:06	11:13	11:20	11:30	11:35	11:40	11:45	11:51
Depth BWS (ft):	4	5	6	7	8	9	10	10.5
Temp (°C):	0.15	0.18	0.76	1.20	1.46	1.78	2.07	2.22
pH:	6.80	6.82	6.82	6.81	6.81	6.79	6.68	6.63
Barometric (mmHg):	766.4	766.4	766.5	766.5	766.6	766.6	766.6	766.6
Pressure (kPa):	10.282	13.228	16.605	19.522	22.307	25.144	28.205	29.852
Conductivity (µS/cm):	87.08	86.64	86.37	86.60	86.83	86.79	88.52	95.17
RDO (ppm): (mg/L)	11.82	12.04	12.36	12.57	12.73	12.72	11.12	9.01
Turbidity (NTU):	1.0	3.6	5.3	7.4	9.7	7.3	8.2	10.6
ORP	254	253	250	249	248	248	250	228

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft): _____			Depth BWS (ft): _____			Depth BWS (ft): _____			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: log start 11:05; log stop 11:51

Field-Form Filled Out By: GMM Date: 3/16/08
 QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: L9817 - 1
 Date: 3/12/08 Time: 10:52

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°14.070'</u>	Easting:	<u>W151°20.121</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	<u>11:10</u>		
Water Depth (ft):	<u>7.27</u>	Ice Thickness (ft):	<u>4.90</u>		
Freeboard (ft):	<u>0.25</u>	Snow Depth (ft):	<u>0.20</u>		
Elev. (BPMSL +/- .02):	<u>51.84</u>	Survey By:	<u>DAR/CC</u>	Date:	<u>3/12/08</u> Time: <u>12:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check	
MULTI	GWS	IN-SITU Troll 9000		33033	PASS	PASS	
Parameters							
Time:	11:18	11:21	11:25				
Depth BWS (ft):	5	6	BOT (7.27)				
Temp (°C):	0.18	0.07	0.41				
pH:	6.80	6.80	6.83				
Barometric (mmHg):	770.0	770.0	770.0				
Pressure (kPa):	13.122	16.310	19.193				
Conductivity (µS/cm):	942.5	931.2	950.6				
RDO (ppm): (mg/L)	1.17	0.54	0.33				
Turbidity (NTU):	15.0	14.2	14.9				
ORP	284	275	257				

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft): _____			Depth BWS (ft): _____			Depth BWS (ft): _____			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Start Log 11:16; stop log 11:25

Field-Form Filled Out By: GMM Date: 3/15/08
 QAQC Check By: DAR Date: 3/15/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: L9817 - 2
 Date: 3/12/08 Time: 11:29

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°14.046'</u>	Easting:	<u>W151°20.079'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	<u>11:30</u>		
Water Depth (ft):	<u>5.85</u>	Ice Thickness (ft):	<u>5.00</u>		
Freeboard (ft):	<u>0.35</u>	Snow Depth (ft):	<u>0.25</u>		
Elev. (BPMSL +/- .02):	<u>51.84</u>	Survey By:	<u>DAR/CC</u>	Date:	<u>3/12/08</u> Time: <u>12:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check	
MULTI	GWS	IN-SITU Troll 9000		33033	PASS	PASS	
Parameters							
Time:	11:39	11:43	11:46				
Depth BWS (ft):	5	5.5	BOT (5.85)				
Temp (°C):	0.18	0.12	0.16				
pH:	6.83	6.83	6.82				
Barometric (mmHg):	770.1	770.2	770.2				
Pressure (kPa):	12.984	14.755	16.026				
Conductivity (µS/cm):	932.1	924.8	921.8				
RDO (ppm): (mg/L)	1.14	0.34	0.20				
Turbidity (NTU):	15.1	15.1	58.1				
ORP	319	309	301				

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Start log 11:39; stop log 11:46

Field-Form Filled Out By: GMM Date: 3/15/08
 QAQC Check By: DAR Date: 3/15/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: L9817 - 3
 Date: 3/12/08 Time: 11:59

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°14.022'</u>	Easting:	<u>W151°20.037'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	<u>12:00</u>		
Water Depth (ft):	<u>6.90</u>	Ice Thickness (ft):	<u>4.77</u>		
Freeboard (ft):	<u>0.2</u>	Snow Depth (ft):	<u>0.45</u>		
Elev. (BPMSL +/- .02):	<u>51.84</u>	Survey By:	<u>DAR/CC</u>	Date:	<u>3/12/08</u> Time: <u>12:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check	
MULTI	GWS	IN-SITU Troll 9000		33033	PASS	PASS	
Parameters							
Time:	12:05	12:09	12:19				
Depth BWS (ft):	5	6	BOT (6.90)				
Temp (°C):	0.07	0.14	0.56				
pH:	6.82	6.82	6.93				
Barometric (mmHg):	770.2	770.3	770.3				
Pressure (kPa):	13.200	16.270	20.294				
Conductivity (µS/cm):	935.1	932.3	945.6				
RDO (ppm): (mg/L)	0.35	0.25	0.19				
Turbidity (NTU):	20.3	13.9	193.9				
ORP	327	318	237				

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:				
Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Start log 12:02; stop log 12:10 (frozen screen). Not able to restart the log properly after that due to repeated frozen screens.

Field-Form Filled Out By: GMM Date: 3/15/08
 QAQC Check By: DAR Date: 3/15/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: L9817 - 4
 Date: 3/12/08 Time: 12:34

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°13.998'</u>	Easting:	<u>W151°19.997'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>4.48</u>	Ice Thickness (ft):	<u>4.90</u>		
Freeboard (ft):	<u>0.82</u>	Snow Depth (ft):	<u>0.80</u>		
Elev. (BPMSL +/- .02):	<u>51.84</u>	Survey By:	<u>DAR/CC</u>	Date:	<u>3/12/08</u> Time: <u>12:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model	Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check
MULTI	GWS	IN-SITU Troll 9000	33033	PASS	PASS
Parameters					
Time:	12:28	12:31			
Depth BWS (ft):	4	BOT (4.48)			
Temp (°C):	0.56	0.04			
pH:	6.94	6.86			
Barometric (mmHg):	770.3	770.4			
Pressure (kPa):	20.294	12.737			
Conductivity (µS/cm):	946.0	1228.0			
RDO (ppm): (mg/L)	0.21	0.36			
Turbidity (NTU):	184.8	232.0			
ORP	234	234			

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Physical measurements by D. Reichardt

Field-Form Filled Out By: GMM Date: 3/15/08
 QAQC Check By: DAR Date: 3/15/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
Sample Purpose: Lake Water Quality

Site Location/Lake ID: L9817 - 20
Date: 3/12/08 Time: 1:48

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°14.079'</u>	Easting:	<u>W151°19.969'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>7.77</u>	Ice Thickness (ft):	<u>4.95</u>		
Freeboard (ft):	<u>0.55</u>	Snow Depth (ft):	<u>0.45</u>		
Elev. (BPMSL +/- .02):	<u>51.84</u>	Survey By:	<u>DAR/CC</u>	Date:	<u>3/12/08</u> Time: <u>12:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check		
MULTI	GWS	IN-SITU Troll 9000		33033	PASS	PASS		
Parameters								
Time:	13:54	13:57	13:59	14:01	14:03			
Depth BWS (ft):	5	6	7	8	BOT (7.77)			
Temp (°C):	0.38	0.51	0.52	0.70	0.77			
pH:	6.72	6.80	6.82	6.91	7.00			
Barometric (mmHg):	30.35	30.34	30.34	30.34	30.34			
Pressure (kPa):	16.269	19.225	19.231	20.954	22.690			
Conductivity (µS/cm):	920.3	930.7	933.4	958.8	970.5			
RDO (ppm): (mg/L)	0.66	0.44	0.45	0.28	0.19			
Turbidity (NTU):	13.8	13.8	12.5	20.3	575.8			
ORP	318	308	301	288	279			

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft): _____			Depth BWS (ft): _____			Depth BWS (ft): _____			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Start log 13:53; stop log 14:03. Rugged reader battery dying at 13:59.

Field-Form Filled Out By: GMM Date: 3/15/08
QAQC Check By: DAR Date: 3/15/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: L9817 - 22
 Date: 3/12/08 Time: 13:11

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°14.074'</u>	Easting:	<u>W151°20.017'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>8.25</u>	Ice Thickness (ft):	<u>4.65</u>		
Freeboard (ft):	<u>0.10</u>	Snow Depth (ft):	<u>0.40</u>		
Elev. (BPMSL +/- .02):	<u>51.84</u>	Survey By:	<u>DAR/CC</u>	Date:	<u>3/12/08</u> Time: <u>12:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check		
MULTI	GWS	IN-SITU Troll 9000		33033	PASS	PASS		
Parameters								
Time:	13:26	13:29	7:40	13:35	13:39			
Depth BWS (ft):	5	6	7	8	BOT (8.25)			
Temp (°C):	0.06	0.07	0.21	0.55	0.66			
pH:	6.85	6.85	6.84	6.88	6.96			
Barometric (mmHg):	30.35	30.34	30.34	30.34	30.35			
Pressure (kPa):	13.548	16.394	19.278	22.182	23.634			
Conductivity (µS/cm):	931.5	929.1	939.5	1006.0	1018.0			
RDO (ppm): (mg/L)	0.49	0.38	0.33	0.24	0.25			
Turbidity (NTU):	14.6	15.1	15.5	16.3	18.3			
ORP	259	256	253	247	224			

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft): _____			Depth BWS (ft): _____			Depth BWS (ft): _____			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Start log 13:26; stop log ?

Rugged reader seized up completely. Replaced with UAF rugged reader.

Field-Form Filled Out By: GMM Date: 3/15/08
 QAQC Check By: DAR Date: 3/15/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: L9817 - 23
 Date: 3/12/08 Time: 12:46

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>70°14.071'</u>	Easting:	<u>W151°20.67'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>7.35</u>	Ice Thickness (ft):	<u>4.60</u>		
Freeboard (ft):	<u>0.35</u>	Snow Depth (ft):	<u>0.45</u>		
Elev. (BPMSL +/- .02):	<u>51.84</u>	Survey By:	<u>DAR/CC</u>	Date:	<u>3/12/08</u> Time: <u>12:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check		
MULTI	GWS	IN-SITU Troll 9000		33033	PASS	PASS		
Parameters								
Time:	12:51	12:56	12:59	13:02				
Depth BWS (ft):	5	6	7	BOT (7.35)				
Temp (°C):	0.08	0.08	0.27	0.40				
pH:	6.84	6.84	6.83	6.86				
Barometric (mmHg):	770.7	770.6	770.7	770.8				
Pressure (kPa):	13.153	16.182	19.290	21.241				
Conductivity (µS/cm):	929.3	926.9	937.9	972.0				
RDO (ppm): (mg/L)	0.72	0.61	0.30	0.21				
Turbidity (NTU):	13.8	14.1	13.9	152.0				
ORP	212	213	213	210				

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft): _____			Depth BWS (ft): _____			Depth BWS (ft): _____			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Start log 12:51; stop log 12:58

Field-Form Filled Out By: GMM Date: 3/15/08
 QAQC Check By: DAR Date: 3/15/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes Site Location/Lake ID: L9312 Screen
 Sample Purpose: Lake Water Quality Date: 3/11/08 Time: 12:05

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°20.003'</u>	Easting:	<u>W150°57.005'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>11</u>	Ice Thickness (ft):	<u>4.35</u>		
Freeboard (ft):	<u>0.75</u>	Snow Depth (ft):	<u>0.55</u>		
Elev. (BPMSL +/- .02):	<u>7.81</u>	Survey By:	<u>CC/HT</u>	Date:	<u>3/11/08</u> Time: <u>13:35</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check		Post-Sampling QAQC Check	
MULTI	GWS	IN-SITU Troll 9000		33033	PASS		PASS	
Parameters								
Time:	12:13	12:23	12:28	12:35	12:40	12:47	12:51	
Depth BWS (ft):	5	6	7	8	9	10	10.7	
Temp (°C):	0.13	0.58	0.97	1.33	1.67	1.98	2.26	
pH:	6.77	6.77	6.76	6.74	6.70	6.66	6.63	
Barometric (mmHg):	766.5	766.5	766.5	766.6	766.6	766.7	766.8	
Pressure (kPa):	13.239	16.325	19.317	27.176	25.327	28.255	30.492	
Conductivity (µS/cm):	89.66	88.01	88.15	87.72	87.74	91.14	93.95	
RDO (ppm): (mg/L)	10.51	10.66	10.58	10.63	9.94	8.72	7.53	
Turbidity (NTU):	4.1	7.5	7.4	7.9	8.2	10.0	10.9	
ORP	299	296	294	293	293	294	285	

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Log start 12:09; Log stop 12:51

Field-Form Filled Out By: GMM Date: 3/16/08
 QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes Site Location/Lake ID: L9312 SH
 Sample Purpose: Lake Water Quality Date: 3/11/08 Time: 13:47

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°20.017'</u>	Easting:	<u>W150°57.076'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	<u>11:20</u>		
Water Depth (ft):	<u>9.25</u>	Ice Thickness (ft):	<u>4.35</u>		
Freeboard (ft):	<u>0.25</u>	Snow Depth (ft):	<u>0.85</u>		
Elev. (BPMSL +/- .02):	<u>7.81</u>	Survey By:	<u>CC/HT</u>	Date:	<u>3/11/08</u> Time: <u>13:35</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 _____ 3 _____	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model	Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check
MULTI	GWS	IN-SITU Troll 9000	33033	PASS	PASS

Parameters

Field Measurements						
Time:	13:59	14:06	14:11	14:17	14:23	
Depth BWS (ft):	5	6	7	8	9	
Temp (°C):	0.16	0.58	0.93	1.30	1.47	
pH:	6.74	6.69	6.67	6.66	6.65	
Barometric (mmHg):	767.1	767.0	767.1	767.1	767.2	
Pressure (kPa):	13.313	16.789	19.167	22.350	25.205	
Conductivity (µS/cm):	87.89	88.38	88.95	89.86	90.27	
RDO (ppm): (mg/L)	10.50	8.64	7.90	7.06	6.42	
Turbidity (NTU):	1.3	3.0	4.0	4.8	7.8	
ORP	355	355	354	352	349	

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft): _____			Depth BWS (ft): _____			Depth BWS (ft): _____			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Log start 13:59; log stop 14:24

Field-Form Filled Out By: GMM Date: 3/16/08
 QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes Site Location/Lake ID: L9312 #1
 Sample Purpose: Lake Water Quality Date: 3/11/08 Time: 15:42

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70 19.872</u>	Easting:	<u>W150 56.803</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>12.9</u>	Ice Thickness (ft):	<u>4.80</u>		
Freeboard (ft):	<u>0.25</u>	Snow Depth (ft):	<u>0.35</u>		
Elev. (BPMSL +/- .02):	<u>7.81</u>	Survey By:	<u>CC/HT</u>	Date:	<u>3/11/08</u> Time: <u>13:35</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 _____ 3 _____	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check
MULTI	GWS	IN-SITU Troll 9000		33033	PASS	PASS
Parameters						
Time:	15:47	15:53	15:57	16:04	16:10	16:15
Depth BWS (ft):	5	6	7	9	11	12
Temp (°C):	0.24	0.63	1.05	1.83	2.54	2.91
pH:	6.86	6.85	6.85	6.83	6.74	6.85
Barometric (mmHg):	767.2	767.2	767.2	767.3	767.4	767.4
Pressure (kPa):	13.438	16.337	19.209	25.062	30.979	34.125
Conductivity (µS/cm):	83.32	81.10	80.80	81.37	80.66	96.06
RDO (ppm): (mg/L)	12.92	12.71	12.78	12.84	10.11	6.41
Turbidity (NTU):	1.3	3.4	7.6	4.5	5.1	3.5
ORP	320	319	319	318	321	307

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft): _____			Depth BWS (ft): _____			Depth BWS (ft): _____			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Log start 15:52; log stop 16:20.

Field-Form Filled Out By: GMM Date: 3/16/08
 QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes Site Location/Lake ID: L9312 #2
 Sample Purpose: Lake Water Quality Date: 3/11/08 Time: 14:54

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70 19.837</u>	Easting:	<u>W150 57.055</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>10.8</u>	Ice Thickness (ft):	<u>4.35</u>		
Freeboard (ft):	<u>0.25</u>	Snow Depth (ft):	<u>0.45</u>		
Elev. (BPMSL +/- .02):	<u>7.81</u>	Survey By:	<u>CC/HT</u>	Date:	<u>3/11/08</u> Time: <u>13:35</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.		Pre-Sampling QAQC Check	Post-Sampling QAQC Check
MULTI	GWS	IN-SITU Troll 9000		33033		PASS	PASS
Parameters							
Time:	14:58	15:03	15:07	15:11	15:14	15:19	15:23
Depth BWS (ft):	5	6	7	8	9	10	10.5
Temp (°C):	0.23	0.74	1.08	1.47	1.88	2.27	2.41
pH:	6.87	6.86	6.87	6.87	6.85	6.75	6.71
Barometric (mmHg):	767.2	767.2	767.1	767.2	767.2	767.2	767.2
Pressure (kPa):	13.061	16.788	19.162	22.202	25.032	28.132	29.279
Conductivity (µS/cm):	80.80	79.52	79.66	79.70	79.80	80.86	84.54
RDO (ppm): (mg/L)	13.91	13.80	13.55	13.57	13.40	10.67	7.99
Turbidity (NTU):	0.8	2.1	3.4	4.0	4.4	5.6	5.5
ORP	348	346	344	343	343	337	324

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft): _____			Depth BWS (ft): _____			Depth BWS (ft): _____			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Log start 14:58; log stop 13:24.

Field-Form Filled Out By: GMM Date: 3/16/08
 QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
Sample Purpose: Lake Water Quality

Site Location/Lake ID: KDA1
Date: 3/14/08 Time: 12:40

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70° 19.868'</u>	Easting:	<u>W148° 56.768'</u>	Datum:	<u>NAD83</u>
Measurements By:	<u>GMM</u>	Time:	<u>nr</u>		
Water Depth (ft):	<u>20.1</u>	Ice Thickness (ft):	<u>5.65</u>		
Freeboard (ft):	<u>0.45</u>	Snow Depth (ft):	<u>0.10</u>		
Elev. (BPMSL +/- .02):	<u>5.45</u>	Survey By:	<u>DAR/MRL</u>	Date:	<u>3/14/08</u> Time: <u>13:45</u>
Water Sampling By:	<u>n/a</u>	Sample Depths BWS (ft):	<u>1 n/a</u>	Date:	<u>n/a</u> Time: <u>n/a</u>
			<u>2</u>		
			<u>3</u>		

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model	Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check
MULTI	GWS	INSITU/ Troll 9000	33033	PASS	PASS

Parameters

Field Measurements												
Time:	12:47	12:53	12:58	13:02	13:07	13:10	13:14	13:18	13:22	13:26	13:30	13:34
Depth BWS (ft):	6	7	8	9	11	13	15	17	18	19	20	BOT
Temp (°C):	0.42	0.87	1.12	1.26	1.36	1.47	1.54	1.62	1.74	1.83	1.83	1.87
pH:	7.54	7.54	7.55	7.55	7.54	7.54	7.54	7.53	7.47	7.36	7.31	7.28
Barometric (mmHg):	777.1	777.1	777.2	777.2	777.3	777.3	777.4	777.4	777.5	777.5	777.5	777.5
Pressure (mmHg):	16.398	19.288	22.159	25.108	31.103	37.102	42.932	48.913	52.277	55.152	58.019	59.408
Conductivity (µS/cm):	128.1	128.1	128.6	128.3	128.0	127.2	126.8	126.9	126.90	128.20	133.10	134.4
RDO (ppm): (mg/L)	14.74	14.87	14.99	15.24	15.58	15.75	15.94	15.99	15.22	11.12	7.99	5.70
Turbidity (NTU):	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.1	0.2	1.3	2.4	62.0
ORP	323	320	316	314	313	311	310	309	309	311	312	310

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Log start 12:45. Log stop 13:35.

Field-Form Filled Out By: GMM Date: 3/16/08
QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
Sample Purpose: Lake Water Quality

Site Location/Lake ID: KDA2
Date: 3/14/08 Time: 11:27

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70° 19.948'</u>	Easting:	<u>W148° 56.368'</u>	Datum:	<u>NAD83</u>
Measurements By:	<u>GMM</u>	Time:	<u>nr</u>		
Water Depth (ft):	<u>17.25</u>	Ice Thickness (ft):	<u>5.55</u>		
Freeboard (ft):	<u>0.45</u>	Snow Depth (ft):	<u>0.00</u>		
Elev. (BPMSL +/- .02):	<u>5.45</u>	Survey By:	<u>DAR/MRL</u>	Date:	<u>3/14/08</u> Time: <u>13:45</u>
Water Sampling By:	<u>n/a</u>	Sample Depths BWS (ft):	<u>1 n/a</u>	Date:	<u>n/a</u> Time: <u>n/a</u>
			<u>2</u>		
			<u>3</u>		

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check		Post-Sampling QAQC Check			
MULTI	GWS	INSITU/ Troll 9000		33033	PASS		PASS			
Parameters										
Time:	11:37	11:43	11:49	11:54	12:01	12:08	12:12	12:16	12:21	12:26
Depth BWS (ft):	6	7	8	9	11	13	15	16	17	OT(17.25)
Temp (°C):	0.50	1.26	1.49	1.56	1.63	1.63	1.73	1.90	2.07	2.18
pH:	7.67	7.66	7.64	7.64	7.64	7.64	7.64	7.58	7.44	7.39
Barometric (mmHg):	777.2	777.3	777.3	797.3	777.4	777.5	777.5	777.5	777.6	777.6
Pressure (mmHg):	16.446	19.332	22.296	25.172	31.130	37.117	43.043	46.119	49.151	50.852
Conductivity (µS/cm):	139.0	137.7	137.7	137.8	137.9	138.1	138.1	138.2	141.1	145.70
RDO (ppm): (mg/L)	14.58	14.66	15.00	15.29	15.78	16.21	16.70	16.14	13.36	10.53
Turbidity (NTU):	0.2	0.3	0.4	0.4	0.4	0.5	0.4	0.4	1.7	29.2
ORP	248	248	248	247	247	246	248	248	250	249

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Log start 11:34and 12:08. Log stop 12:03 12:27.

Field-Form Filled Out By: GMM Date: 3/16/08
QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
Sample Purpose: Lake Water Quality

Site Location/Lake ID: KDA3
Date: 3/14/08 Time: 13:50

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°20.025'</u>	Easting:	<u>W148°56.204'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>21.5</u>	Ice Thickness (ft):	<u>5.23</u>		
Freeboard (ft):	<u>0.3</u>	Snow Depth (ft):	<u>0.25</u>		
Elev. (BPMSL +/- .02):	<u>5.84</u>	Survey By:	<u>DAR/MRL</u>	Date:	<u>3/14/08</u> Time: <u>13:45</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model	Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check
MULTI	GWS	INSITU/ Troll 9000	33033	PASS	PASS

Parameters

Field Measurements												
Time:	13:55	14:00	14:05	14:09	14:13	14:16	14:20	14:23	14:26	14:30	12:35	12:39
Depth BWS (ft):	5	6	7	9	11	13	15	17	19	20	21	BOT
Temp (°C):	0.59	1.26	0.26	1.49	1.79	1.86	1.91	1.94	1.99	2.07	2.09	2.08
pH:	7.48	7.50	7.49	7.58	7.51	7.49	7.49	7.48	7.48	7.48	7.29	7.19
Barometric (mmHg):	777.3	777.3	777.2	777.3	777.4	777.4	777.5	777.6	777.7	777.7	777.7	777.7
Pressure (mmHg):	16.329	19.419	13.479	25.205	31.202	37.090	43.108	49.027	54.932	57.967	61.057	63.571
Conductivity (µS/cm):	123.5	123.3	123.3	123.1	123.1	122.9	123.0	122.9	122.90	1222.90	124.40	125.1
RDO (ppm): (mg/L)	14.82	14.83	14.96	14.87	14.82	14.61	14.57	14.48	14.43	14.32	11.43	8.97
Turbidity (NTU):	0.1	0.1	0.2	0.2	0.1	0.2	0.1	0.3	0.1	0.2	1.0	88.7
ORP	357	352	351	347	346	345	343	342	341	340	343	335

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Log start 13:54. Log stop 12:40.

Field-Form Filled Out By: GMM Date: 3/16/08
QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: MSBN-CT
 Date: 3/15/08 Time: 11:04

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°19.280'</u>	Easting:	<u>W149°24.009'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>33.3</u>	Ice Thickness (ft):	<u>5.50</u>		
Freeboard (ft):	<u>0.5</u>	Snow Depth (ft):	<u>0.20</u>		
Elev. (BPMSL +/- .02):	<u>93.42</u>	Survey By:	<u>CC/MRL</u>	Date:	<u>3/15/08</u> Time: <u>14:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check		Post-Sampling QAQC Check					
Multi	GWS	INSITU/ Troll 9000		33033	PASS		PASS					
Parameters												
Time:	11:14	11:17	11:21	11:25	11:32	11:37	11:39	11:42	11:45	11:48	11:51	11:54
Depth BWS (ft):	5	6	7	9	11	13	15	17	19	21	23	25
Temp (°C):	1.20	0.68	0.51	0.63	0.90	1.05	1.24	1.37	1.49	1.56	1.63	1.72
pH:	7.60	7.62	7.63	7.63	7.65	7.65	7.65	7.63	7.62	7.61	7.60	7.55
Barometric (mmHg):	771.3	771.2	771.2	771.2	771.4	776.3	771.4	771.5	771.5	771.6	771.6	771.6
Pressure (kPa):	13.228	16.346	19.236	25.546	31.313	37.002	43.013	49.091	55.115	60.195	66.891	72.727
Conductivity (µS/cm):	179.4	173.8	171.1	167.9	167.4	167.4	167.1	167.0	167.0	167.0	167.1	167.4
RDO (ppm): (mg/L)	12.71	13.35	13.91	14.22	14.52	14.46	14.56	14.30	14.17	14.13	14.14	13.96
Turbidity (NTU):	0.4	0.2	0.3	0.4	0.1	0.2	0.1	0.3	0.3	0.2	0.0	0.1
ORP	247	245	244	243	240	238	238	238	237	237	237	237

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Sheet 1 of 2. No Log

Field-Form Filled Out By: GMM Date: 3/16/08
 QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: MSBN-CT
 Date: 3/15/08 Time: 11:04

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°19.280'</u>	Easting:	<u>W149°24.009'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>33.3</u>	Ice Thickness (ft):	<u>5.50</u>		
Freeboard (ft):	<u>0.5</u>	Snow Depth (ft):	<u>0.20</u>		
Elev. (BPMSL +/- .02):	<u>93.42</u>	Survey By:	<u>CC/MRL</u>	Date:	<u>3/15/08</u> Time: <u>14:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check	
Multi	GWS	INSITU/ Troll 9000		33033	PASS	PASS	
Parameters							
Time:	11:58	12:01	12:03	12:06	12:09	12:13	
Depth BWS (ft):	27	29	31	32	33	BOT(33.3)	
Temp (°C):	1.86	2.02	2.03	1.94	1.88	1.85	
pH:	7.32	7.25	7.17	7.37	7.50	7.40	
Barometric (mmHg):	771.7	771.7	771.8	771.8	771.8	771.8	
Pressure (kPa):	78.717	84.702	90.783	93.824	96.531	98.764	
Conductivity (µS/cm):	172.8	198.0	249.6	313.3	386.5	417.7	
RDO (ppm): (mg/L)	10.71	7.07	4.62	3.19	2.34	1.57	
Turbidity (NTU):	1.1	2.6	4.3	7.4	17.7	21.7	
ORP	243	247	222	174	123	108	

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft): _____			Depth BWS (ft): _____			Depth BWS (ft): _____			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Sheet 2 of 2. No Log

Field-Form Filled Out By: GMM Date: 3/16/08
 QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: MSBS-CT
 Date: 3/14/08 Time: 12:31

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°19.214'</u>	Easting:	<u>W149°24.020'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>26.2</u>	Ice Thickness (ft):	<u>5.05</u>		
Freeboard (ft):	<u>0.4</u>	Snow Depth (ft):	<u>0.50</u>		
Elev. (BPMSL +/- .02):	<u>94.58</u>	Survey By:	<u>CC/MRL</u>	Date:	<u>3/15/08</u> Time: <u>14:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check		Post-Sampling QAQC Check					
Multi	GWS	INSITU/ Troll 9000		33033	PASS		PASS					
Parameters												
Time:	12:40	12:42	12:45	12:47	12:49	12:52	12:55	12:57	12:59	13:02	13:05	13:08
Depth BWS (ft):	5	6	7	9	11	13	15	17	19	21	23	24
Temp (°C):	0.18	0.17	0.94	1.33	1.44	1.45	1.49	1.55	1.60	1.66	1.82	1.95
pH:	7.49	7.49	7.50	7.51	7.51	7.52	7.52	7.50	7.49	7.47	7.45	7.37
Barometric (mmHg):	770.6	770.6	770.7	770.7	770.7	770.8	770.8	770.8	770.9	770.9	770.9	770.9
Pressure (kPa):	13.281	16.425	19.377	25.068	31.006	37.047	43.080	48.925	55.233	60.962	67.026	70.106
Conductivity (µS/cm):	174.8	175.2	174.3	174.8	175.1	177.2	176.3	176.6	176.7	176.4	176.0	176.9
RDO (ppm): (mg/L)	11.39	11.40	11.46	11.63	11.78	12.01	12.22	11.98	11.87	11.71	11.11	10.12
Turbidity (NTU):	0.1	0.2	0.6	0.7	0.9	0.9	0.6	0.5	0.5	0.8	0.6	1.3
ORP	170	171	170	170	170	170	171	172	172	173	174	176

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH3-N
Ammonia/ Iron dilution										

Remarks: Sheet 1 of 2. Log start 12:36; log stop 13:18.

Field-Form Filled Out By: GMM Date: 3/16/08
 QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
 Sample Purpose: Lake Water Quality

Site Location/Lake ID: MSBS-CT
 Date: 3/14/08 Time: 12:31

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°19.214'</u>	Easting:	<u>W149°24.020'</u>	Datum:	<u>NAD83</u>
Measurements By:	GMM	Time:	nr		
Water Depth (ft):	<u>26.2</u>	Ice Thickness (ft):	<u>5.05</u>		
Freeboard (ft):	<u>0.4</u>	Snow Depth (ft):	<u>0.50</u>		
Elev. (BPMSL +/- .02):	<u>94.58</u>	Survey By:	<u>CC/MRL</u>	Date:	<u>3/15/08</u> Time: <u>14:00</u>
Water Sampling By:	n/a	Sample Depths BWS (ft):	1 n/a 2 3	Date:	n/a Time: n/a

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.	Pre-Sampling QAQC Check	Post-Sampling QAQC Check		
Multi	GWS	INSITU/ Troll 9000		33033	PASS	PASS		
Parameters								
Time:		13:12	13:15	13:17				
Depth BWS (ft):		25	26	BOT(26.2)				
Temp (°C):		2.01	2.08	2.13				
pH:		7.27	7.13	7.29				
Barometric (mmHg):		770.9	770.9	770.9				
Pressure (kPa):		72.855	75.791	77.684				
Conductivity (µS/cm):		179.7	199.8	208.9				
RDO (ppm): (mg/L)		7.42	4.54	2.44				
Turbidity (NTU):		2.9	4.0	28.2				
ORP		179	177	157				

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Sheet 2 of 2. Log start 12:36; log stop 13:18.

Field-Form Filled Out By: GMM Date: 3/16/08
 QAQC Check By: CMC Date: 3/16/08

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004a: Water Quality Field-Sampling General

Project ID: North Slope Lakes
Sample Purpose: Lake Water Quality

Site Location/Lake ID: MSBS-SW-Creek
Date: 3/15/08 Time: 13:28

FIELD MEASUREMENTS

GPS Coord. Northing:	<u>N70°19.186'</u>	Easting:	<u>W149°24.234'</u>	Datum:	<u>WGS84</u>
Measurements By:	<u>GMM</u>	Time:	<u>nr</u>		
Water Depth (ft):	<u>19</u>	Ice Thickness (ft):	<u>5.25</u>		
Freeboard (ft):	<u>0.45</u>	Snow Depth (ft):	<u>0.30</u>		
Elev. (BPMSL +/- .02):	<u>94.58</u>	Survey By:	<u>CC/MRL</u>	Date:	<u>3/15/08</u> Time: <u>14:00</u>
Water Sampling By:	<u>n/a</u>	Sample Depths BWS (ft):	<u>1 n/a</u>	Date:	<u>n/a</u> Time: <u>n/a</u>
			<u>2</u>		
			<u>3</u>		

WATER QUALITY METER INFORMATION

Calibration Information

Parameter (s)	Owner	Meter Make/Model		Serial No.		Pre-Sampling QAQC Check		Post-Sampling QAQC Check		
Multi	GWS	INSITU/ Troll 9000			33033	PASS		PASS		
Parameters										
Time:	13:35	13:39	13:42	13:44	13:46	13:49	13:51	13:54	13:57	14:00
Depth BWS (ft):	5	6	7	9	11	13	15	17	18	19
Temp (°C):	0.17	0.20	0.90	1.25	1.33	1.35	1.39	1.42	1.49	1.54
pH:	7.55	7.55	7.54	7.46	7.56	7.57	7.56	7.52	7.48	7.46
Barometric (mmHg):	770.1	770.2	770.4	770.2	770.2	770.2	770.3	770.4	770.5	770.5
Pressure (kPa):	13.073	16.315	19.370	25.318	31.139	37.177	43.255	48.992	52.155	55.131
Conductivity (µS/cm):	185.3	181.6	179.0	178.0	179.6	179.7	179.5	179.4	178.7	178.8
RDO (ppm): (mg/L)	13.03	13.02	12.88	12.83	13.01	13.25	13.06	12.64	11.96	11.44
Turbidity (NTU):	0.6	1.3	0.8	2.0	1.6	1.0	0.6	1.2	1.1	0.8
ORP	272	270	268	267	265	264	263	263	263	

FIELD TESTING OF WATER SAMPLES (if small probe is used)

Probe:

Depth (ft)				
Temp (°C)				
pH				
Eh				

NORTH SLOPE LAB CHEMISTRY ANALYSIS

Parameter	Depth BWS (ft):			Depth BWS (ft):			Depth BWS (ft):			Method
	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	rep 1	rep 2	rep 3	
Oxygen (mg/L)										Hach spec 0.3-15 mg/L
Alkalinity (mg/L as CaCO ₃)										Digital titrator 10-4000 mg/L as CaCO ₃
Total iron--UF (mg/L)										Hach spec 0.02-3.00 mg/L
Filtered Iron--F tot Fe (mg/L)										Hach spec 0.02-3.00 mg/L
Ammonia (mg/L NH ₃ -N)****										0.01-0.50 mg/L NH ₃ -N
Ammonia/ Iron dilution										

Remarks: Log start 13:33; log stop 14:00.

Field-Form Filled Out By: GMM Date: 3/16/08
QAQC Check By: CMC Date: 3/16/08

APPENDIX B. WATER QUALITY METER CALIBRATION FORMS

The following forms report the pre- and post-calibration checks for the water quality meters used during field sampling.

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004e: Water Quality Meter Calibration Form

Project ID: North Slope Lakes Site Location/Lake ID: L9312
Sample Purpose: Lake Water Quality

WATER QUALITY METER INFORMATION

Meter Make: InSitu Make: Troll 9000
Owner: GW Scientific S/N: 33033

CALIBRATION AND QUALITY ASSURANCE INFORMATION

Pre-Sampling QA

Parameter	Date	Time	Standard	Lot No.	Exp.	Meter Reading	Pass/Fail
pH 4.01	3/10/08	20:57	Oakton 4.01	2612530	Dec-08	4.12 @ 19.11	Pass
ph 7.00	3/10/08	20:58	Oakton 7.00	2709203	Aug-09	7.03 @ 19.15	Pass
ph 10.00	3/10/08	21:01	Oakton 10.00	2707084	Jan-09	10.00 @ 19.63	Pass
Conductivity 84 µS/cm	3/10/08	20:22	Oakton 84	2706156	Jun-08	76.89 @ 19.25	Pass
Conductivity 447 µS/cm	3/10/08	20:24	Oakton 447	2707012	Jul-08	393.7 @ 19.37	Pass
ORP	3/10/08	20:30	Zobell's	2709340	Jun-08	242 @ 18.52	Pass
Saturated O ₂	3/10/08	20:06	Bubbled Nanopure	--	--	98.1 @ 19.56	Pass
Zero O ₂	3/10/08	21:08	Oakton	2706384	Jun-08	0.02 @ 15.47	Pass

Post-Sampling QA

Parameter	Date	Time	Standard	Lot No.	Exp.	Meter Reading	Pass/Fail
pH 4.01	3/11/08	20:01	Oakton 4.01	2612530	Dec-08	4.06 @ 20.68	Pass
ph 7.00	3/11/08	20:03	Oakton 7.00	2709203	Aug-09	7.06 @ 20.55	Pass
ph 10.00	3/11/08	20:05	Oakton 10.00	2707084	Jan-09	10.00 @ 20.32	Pass
Conductivity 84 µS/cm	3/11/08	19:55	Oakton 84	2706156	Jun-08	78.90 @ 20.05	Pass
Conductivity 447 µS/cm	3/11/08	19:57	Oakton 447	2707012	Jul-08	404.6 @ 20.45	Pass
ORP	3/11/08	20:05	Zobell's	2709340	Jun-08	230 @ 20.56	Pass
Saturated O ₂	3/11/08	19:53	Bubbled Nanopure	--	--	100.4 @ 18.12	Pass
Zero O ₂	3/11/08	20:11	Oakton	2706384	Jun-08	0.03 @ 15.32	Pass

Remarks: Changed ph/ORP reference solution and junction in pH/ORP probe. pH/ORP recalibrated before cal-check.
ph/ORP probe SN:PP10242 (GWS)

Field-Form Filled Out By: GMM Date: 3/16/2008
QAQC Check By: CMC Date: 3/16/2008

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004e: Water Quality Meter Calibration Form

Project ID: North Slope Lakes Site Location/Lake ID: L9817
Sample Purpose: Lake Water Quality

WATER QUALITY METER INFORMATION

Meter Make: InSitu Make: Troll 9000
Owner: GW Scientific S/N: 33033

CALIBRATION AND QUALITY ASSURANCE INFORMATION

Pre-Sampling QA

Parameter	Date	Time	Standard	Lot No.	Exp.	Meter Reading	Pass/Fail
pH 4.01	3/11/08	20:01	Oakton 4.01	2612530	Dec-08	4.06 @ 20.68	Pass
ph 7.00	3/11/08	20:03	Oakton 7.00	2709203	Aug-09	7.06 @ 20.55	Pass
ph 10.00	3/11/08	20:05	Oakton 10.00	2707084	Jan-09	10.00 @ 20.32	Pass
Conductivity 84 µS/cm	3/11/08	19:55	Oakton 84	2706156	Jun-08	78.90 @ 20.05	Pass
Conductivity 447 µS/cm	3/11/08	19:57	Oakton 447	2707012	Jul-08	404.6 @ 20.45	Pass
ORP	3/11/08	20:05	Zobell's	2709340	Jun-08	230 @ 20.56	Pass
Saturated O ₂	3/11/08	19:53	Bubbled Nanopure	--	--	100.4 @ 18.12	Pass
Zero O ₂	3/11/08	20:11	Oakton	2706384	Jun-08	0.03 @ 15.32	Pass

Post-Sampling QA

Parameter	Date	Time	Standard	Lot No.	Exp.	Meter Reading	Pass/Fail
pH 4.01	3/12/08	18:23	Oakton 4.01	2612530	Dec-08	4.06 @ 19.69	Pass
ph 7.00	3/12/08	18:25	Oakton 7.00	2709203	Aug-09	7.01 @ 19.28	Pass
ph 10.00	3/12/08	18:27	Oakton 10.00	2707084	Jan-09	9.99 @ 19.69	Pass
Conductivity 84 µS/cm	3/12/08	18:19	Oakton 84	2706156	Jun-08	81.68 @ 19.34	Pass
Conductivity 447 µS/cm	3/12/08	18:21	Oakton 447	2707012	Jul-08	401.4 @ 19.76	Pass
ORP	3/12/08	18:29	Zobell's	2709340	Jun-08	235 @ 20.35	Pass
Saturated O ₂	3/12/08	18:16	Bubbled Nanopure	--	--	100.2 @ 17.55	Pass
Zero O ₂	3/12/08	18:35	Oakton	2706384	Jun-08	0.03 @ 16.83	Pass

Remarks: _____

ph/ORP probe SN:PP10242 (GWS)

Field-Form Filled Out By: GMM Date: 3/16/2008
QAQC Check By: CMC Date: 3/16/2008

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004e: Water Quality Meter Calibration Form

Project ID: North Slope Lakes Site Location/Lake ID: Kuparuk Deadarm Lakes
 Sample Purpose: Lake Water Quality

WATER QUALITY METER INFORMATION

Meter Make:	InSitu	Make:	Troll 9000
Owner:	GW Scientific	S/N:	33033

CALIBRATION AND QUALITY ASSURANCE INFORMATION

Pre-Sampling QA

Parameter	Date	Time	Standard	Lot No.	Exp.	Meter Reading	Pass/Fail
pH 4.01	3/12/08	18:23	Oakton 4.01	2612530	Dec-08	4.06 @ 19.69	Pass
ph 7.00	3/12/08	18:25	Oakton 7.00	2709203	Aug-09	7.01 @ 19.28	Pass
ph 10.00	3/12/08	18:27	Oakton 10.00	2707084	Jan-09	9.99 @ 19.69	Pass
Conductivity 84 µS/cm	3/12/08	18:19	Oakton 84	2706156	Jun-08	81.68 @ 19.34	Pass
Conductivity 447 µS/cm	3/12/08	18:21	Oakton 447	2707012	Jul-08	401.4 @ 19.76	Pass
ORP	3/12/08	18:29	Zobell's	2709340	Jun-08	235 @ 20.35	Pass
Saturated O ₂	3/12/08	18:16	Bubbled Nanopure	--	--	100.2 @ 17.55	Pass
Zero O ₂	3/12/08	18:35	Oakton	2706384	Jun-08	0.03 @ 16.83	Pass

Post-Sampling QA

Parameter	Date	Time	Standard	Lot No.	Exp.	Meter Reading	Pass/Fail
pH 4.01	3/14/08	21:05	Oakton 4.01	2612530	Dec-08	4.04 @ 17.96	Pass
ph 7.00	3/14/08	21:10	Oakton 7.00	2709203	Aug-09	7.01 @ 18.69	Pass
ph 10.00	3/14/08	21:12	Oakton 10.00	2707084	Jan-09	10.00 @ 17.16	Pass
Conductivity 447 µS/cm	3/14/08	21:04	Oakton 84	2706156	Jun-08	76.77 @ 19.08	Pass
Conductivity 84 µS/cm	3/14/08	21:06	Oakton 447	2707012	Jul-08	381.0 @ 17.38	Pass
ORP	3/14/08	21:14	Zobell's	2709340	Jun-08	236 @ 17.79	Pass
Saturated O ₂	3/14/08	21:02	Bubbled Nanopure	--	--	102.5 @ 19.73	Pass
Zero O ₂	3/14/08	21:17	Oakton	2706384	Jun-08	0.02 @ 15.70	Pass

Remarks: ph/ORP probe SN:PP10242 (GWS)

Field-Form Filled Out By: GMM Date: 3/16/2008
 QAQC Check By: CMC Date: 3/16/2008

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-004e: Water Quality Meter Calibration Form

Project ID: North Slope Lakes Site Location/Lake ID: Mine Site B
Sample Purpose: Lake Water Quality

WATER QUALITY METER INFORMATION

Meter Make: InSitu Make: Troll 9000
Owner: GW Scientific S/N: 33033

CALIBRATION AND QUALITY ASSURANCE INFORMATION

Pre-Sampling QA

Parameter	Date	Time	Standard	Lot No.	Exp.	Meter Reading	Pass/Fail
pH 4.01	3/14/08	21:05	Oakton 4.01	2612530	Dec-08	4.04 @ 17.96	Pass
ph 7.00	3/14/08	21:10	Oakton 7.00	2709203	Aug-09	7.01 @ 18.69	Pass
ph 10.00	3/14/08	21:12	Oakton 10.00	2707084	Jan-09	10.00 @ 17.16	Pass
Conductivity 447 µS/cm	3/14/08	21:04	Oakton 84	2706156	Jun-08	76.77 @ 19.08	Pass
Conductivity 84 µS/cm	3/14/08	21:06	Oakton 447	2707012	Jul-08	381.0 @ 17.38	Pass
ORP	3/14/08	21:14	Zobell's	2709340	Jun-08	236 @ 17.79	Pass
Saturated O ₂	3/14/08	21:02	Bubbled Nanopure	--	--	102.5 @ 19.73	Pass
Zero O ₂	3/14/08	21:17	Oakton	2706384	Jun-08	0.02 @ 15.70	Pass

Post-Sampling QA

Parameter	Date	Time	Standard	Lot No.	Exp.	Meter Reading	Pass/Fail
pH 4.01	3/15/08	17:35	Oakton 4.01	2612530	Dec-08	4.05 @ 18.20	Pass
ph 7.00	3/15/08	17:36	Oakton 7.00	2709203	Aug-09	7.06 @ 19.39	Pass
ph 10.00	3/15/08	17:39	Oakton 10.00	2707084	Jan-09	9.98 @ 19.07	Pass
Conductivity 84 µS/cm	3/15/08	17:32	Oakton 84	2706156	Jun-08	79.86 @ 20.26	Pass
Conductivity 447 µS/cm	3/15/08	17:34	Oakton 447	2707012	Jul-08	411.7 @ 21.35	Pass
ORP	3/15/08	17:41	Zobell's	2709340	Jun-08	232 @ 19.74	Pass
Saturated O ₂	3/15/08	17:32	Bubbled Nanopure	--	--	99.5 @ 21.10	Pass
Zero O ₂	3/15/08	17:43	Oakton	2706384	Jun-08	0.03 @ 17.64	Pass

Remarks: ph/ORP probe SN:PP10242 (GWS)

Field-Form Filled Out By: GMM Date: 3/16/2008
QAQC Check By: CMC Date: 3/16/2008

APPENDIX C. ELEVATION SURVEY FORMS

The following form reports the elevation survey information obtained during field sampling.

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-011: Elevation Survey Form

Project ID:	North Slope Lakes	Site Location/Lake ID:	L9312
Survey Purpose:	Water-Level Elevations	Date:	3/11/2008
		Time:	13:35

Location:	Lake L9312, located southeast of Alpine pad, survey by pump house benchmarks							
Survey objective:	Determine FWS Elevation.			Weather Observations:				
Instrument Type:	LCMF Zeiss Ni2			Instrument ID: #147298		-5°F, 10-15 mph winds, Clear		
Rod Type:	Fiberglass		Rod ID:	Sokkia Fiber Glass				
Bench Mark Information:					Survey Team Names			
Name	Agency Responsible	Elevation (ft)	Latitude (dd-mm.mmm)	Longitude (ddd-mm.mmm)	Chad Cormack, Horacio Toniolo			
L9312"P"	CP	11.72	na	na				
Station	BS (ft)	HI (ft)	FS (ft)	Elevation (fasl)	Distance (ft)	Horizontal Angle	Vertical Angle	Remarks
TBM "P"	1.550	13.27		11.72				Top of inlet pipe support
TBM "O"		13.27	1.82	11.45				Top of inlet pipe support. BM Elev=11.46'
99-32-59		13.27	1.27	14.54				Top of Pumphouse SE VSM. BM Elev = 14.57
L9312 WL		13.27	6.09	7.18				Water Surface Level

Turn on L9312 WL

L9312 WL	6.18	13.36		7.18				
99-32-59		13.36	1.18	14.54				Inverted shot
TBM "O"		13.36	1.90	11.46				
TBM "P"		13.36	1.64	11.72				close survey to 0.00

Note:

Abbreviations: backsight, BS; degrees, dd; feet, ft; feet above mean sea level, fasml; foresight, FS; height of instrument, HI; minutes, mm; seconds, ss; BP Mean Sea Level, BPMSL

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-011: Elevation Survey Form

Project ID:	<u>North Slope Lakes</u>	Site Location/Lake ID:	<u>L9817</u>
Survey Purpose:	<u>Water-Level Elevations</u>	Date:	<u>3/12/2008</u>
		Time:	<u>12:00</u>

Location:	Near rebar on west side of lake. Water surface elevation taken near sample point #4							
Survey objective:	Lake water elevation survey			Weather Observations:				
Instrument Type:	Leica NA 720		Instrument ID:	5482332 (GWS owned)			-20 F, clear, 5 mph SW winds	
Rod Type:	Craine fiberglass 20'		Rod ID:					
Bench Mark Information:					Survey Team Names			
Name	Agency Responsible	Elevation (ft)	Latitude (dd-mm.mmm)	Longitude (ddd-mm.mmm)	Daniel Reichardt, Chad Cormack			
B	nr	54.98	na	na				
Station	BS (ft)	HI (ft)	FS (ft)	Elevation (fasl)	Distance (ft)	Horizontal Angle	Vertical Angle	Remarks
B	3.95	58.93		54.98				rebar survey control
C		58.93	3.00	55.93				rebar survey control
E		58.93	2.59	56.34				rebar survey control
Water surface		58.93	7.10	51.83				WL-L9817, #4
SH-WL		58.93	7.09	51.84				WL-L9817, #SH
								Turn point, moved instrument.
SH-WL	7.31	59.14		51.84				WL-L9817, #SH
Water surface		59.14	7.30	51.84				WL-L9817, #4
E		59.14	2.80	56.35				rebar survey control
C		59.14	3.19	55.95				rebar survey control
B		59.14	4.14	55.00				Survey closes within +0.02'

Note: Survey control rebar points A, D were not found, Lathe missing

Abbreviations: backsight, BS; degrees, dd; feet, ft; feet above mean sea level, fasml; foresight, FS; height of instrument, HI; minutes, mm; seconds, ss; BP Mean Sea Level, BPMSL

University of Alaska Fairbanks, Water and Environmental Research Center

Form F-011: Elevation Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: KDA 1,2,3
Survey Purpose: Water-Level Elevations Date: 3/14/2008 Time: 13:45

Location:	Kuparuk Deadarm Lakes, east of the Spine Road Kuparuk bridge.							
Survey objective:	Determine FWS Elevation of cell 1, cell 2 and cell 3.					Weather Observations:	-30°F, sunny, 5mph south wind	
Instrument Type:	Leica NA 720	Instrument ID:	5482332 (GWS owned)					
Rod Type:	Craine fiberglass 25'	Rod ID:						
Bench Mark Information:					Survey Team Names			
Name	Agency Responsible	Elevation (ft)	Latitude (dd-mm.mmm)	Longitude (ddd-mm.mmm)	Dan Reichardt, Michael Lilly			
BM1	BP	19.32	na	na				
Station	BS (ft)	HI (ft)	FS (ft)	Elevation (fasl)	Distance (ft)	Horizontal Angle	Vertical Angle	Remarks
BM1	0.64	19.96		19.32				
KDA3-SH		19.96	14.13	5.84				
KDA2-SH		19.96	14.52	5.45				
KDA2-ICE		19.96	13.22	6.75				
Turn on KDA2-Ice. Move to Inst.2								
KDA2-ICE	13.15	19.90		6.75				
KDA2-SH		19.90	14.45	5.45				KDA2 WL=5.45'
KDA3-SH		19.90	14.06	5.84				KDA3 WL=5.84'
BM1		19.90	0.58	19.32				close survey to 0.00
Move to Inst.3								
KDA2-SH'	9.05	14.50		5.45				
KDA1-SH		14.50	6.40	8.10				KDA1 WL=8.10
KDA1-ICE		14.50	6.04	8.46				
Turn on KDA3-ICE. Move to Inst.4								
KDA1-ICE	5.90	14.36		8.46				
KDA1-SH		14.36	6.27	8.09				
KDA2-SH'		14.36	8.90	5.46				close survey to 0.01

Note:

Abbreviations: backsight, BS; degrees, dd; feet, ft; feet above mean sea level, fasl; foresight, FS; height of instrument, HI; minutes, mm; seconds, ss; BP Mean Sea Level, BPMSL

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-011: Elevation Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Mine Site B
Survey Purpose: Water-Level Elevations Date: 3/15/2008 Time: 14:00

Location:	Mine Site B aka 6 mile Lake							
Survey objective:	Determine lake water elevation in North and South Cells				Weather Observations:			
Instrument Type:	Leica NA720	Instrument ID:	5482372 (GWS owned)			-20°F, 5 mph wind, clear		
Rod Type:	Craine fiberglass 20'	Rod ID:	GWS owned					
Bench Mark Information:						Survey Team Names		
Name	Agency Responsible	Elevation (ft)	Latitude (dd-mm.mmm)	Longitude (ddd-mm.mmm)		Cormack, Lilly		
TBM_1	nr	100.00 Arbitrary	N70°19.308'	W149°23.882'				
Station	BS (ft)	HI (ft)	FS (ft)	Elevation (fasl)	Distance (ft)	Horizontal Angle	Vertical Angle	Remarks
TBM_1	4.70	104.70		100.00				
MSBN-SH		104.70	11.29	93.42				WL MSBN=93.42'
TBM 2		104.70	0.91	103.79				
TBM 3		104.70	1.29	103.41				
TBM 4		104.70	10.47	94.23				
Move instrument to ^2, turn on TBM 4								
TBM 4	10.49	104.72		94.23				
TBM 3		104.72	11.29	93.43				
TBM 2		104.72	1.25	103.47				
MSBN-SH		104.72	0.87	103.85				discard bad foresight
TBM_1		104.72	4.70	100.02				Survey leg closes within ±0.02
Move instrument to ^3 on island, turn on MSBN Water Level								
MSBN-NC-WL	9.55	102.98		93.43				
MSBN-SC-WL		102.98	8.90	94.08				
MSBS-SC-TP		102.98	8.40	94.58				WL MSBS=94.58'
Move instrument to ^4, turn on MSBS-SH. Water Surface has frozen in hole.								
MSBN-NC-WL	7.93	102.50		94.58				
MSBN-SC-WL		102.50	8.43	94.07				
MSBS-SC-TP		102.50	9.09	93.42				Survey leg closes within ±0.01

Abbreviations: backsight, BS; degrees, dd; feet, ft; feet above mean sea level, fasml; foresight, FS; height of instrument, HI; minutes, mm; seconds, ss; BP Mean Sea Level, BPMSL

APPENDIX D. SNOW SURVEY FORMS

The following forms report the snow survey information obtained during field sampling.

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: L9312-WxStation
Survey Purpose: Determine snow water equivalent Date: 3/11/2008 Time: 12:15

Location Description:	North of weather station at L9312. Start at east snow pole, transect goes 25 m west x 25 m North. See L9312 WxSta Snow 070922.JPG for layout.			Weather Observations:	-5°F, Windy. Clear
Survey objective:	Determine Snow Water Equivalent				
Latitude:	N70°20.019'	Longitude:	W150°57.134'	Datum:	NAD83
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers:	Orange snow poles
Drainage Basin:	Lake L9312	Slope Direction:	East	Vegetation Type:	Tussuck tundra
Slope Angle:	2°	Access Notes:		Other:	
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names	
Snow Tube Type:	Arinodack snow tube			Chad Cormack, Horacio Toniolo	

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	59.0	29.0	32.0	22.0	22.0	Average snow depth = <u>29.3</u>
2	36.0	20.0	50.0	31.0	20.0	Maximum snow depth = <u>72.0</u>
3	20.0	16.0	8.0	32.0	16.0	Minimum snow depth = <u>8.0</u>
4	17.0	28.0	12.0	28.0	18.0	Standard variation = <u>15.4</u>
5	39.0	47.0	13.0	16.0	42.0	
6	48.0	50.0	15.0	16.0	20.0	
7	50.0	54.0	16.0	17.0	15.0	
8	50.0	72.0	18.0	15.0	18.0	
9	47.0	57.0	20.0	20.0	20.0	
10	38.0	46.0	33.0	21.0	18.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
A1	20.32	166.8	725.4	0.23
F1	48.26	499.4	1722.9	0.29
A5	17.78	200.9	634.7	0.32
A3	38.1	460.9	1360.2	0.34
F2	50.8	593.7	1813.6	0.33

Average Density = 0.30

Average Snow Water Equivalent (SWE) = 8.8 cm H₂O

Average Snow Water Equivalent = 3.47 inches H₂O

Average Snow Water Equivalent = 0.29 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: L9312_Raft_B
Survey Purpose: Determine snow water equivalent Date: 3/11/2008 Time: 13:30

Location Description:	Started 5 meters north of "Raft B" on L9312. Travelled 25 meters northerly towards Raft A. Turned left 90° and travelled 25 meters west to end point.			
Survey objective:	Determine Snow Water Equivalent		Weather Observations:	-5°F, Windy, Clear
Latitude:	N 70° 19.995'	Longitude:	W 150° 56.918'	Datum: NAD 83
Elevation:	7 ft	Elevation Datum:	BPMSL	Reference Markers: Raft B is marked with lathe
Drainage Basin:	Lake L9312	Slope Direction:	Flat	Vegetation Type: Ice
Slope Angle:	Flat	Access Notes:	Snowmobile	Other:
Snow Depth Probe Type:	T-handle probe		Snow-Survey Team Names	
Snow Tube Type:	Arinodack snow tube		Chad Cormack, Horacio Toniolo	

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	15.0	6.0	6.0	8.0	7.0	Average snow depth = <u>10.7</u>
2	19.0	5.0	9.0	14.0	12.0	Maximum snow depth = <u>27.0</u>
3	13.0	5.0	14.0	15.0	13.0	Minimum snow depth = <u>3.0</u>
4	10.0	3.0	15.0	9.0	17.0	Standard variation = <u>5.0</u>
5	10.0	4.0	13.0	8.0	10.0	
6	7.0	6.0	16.0	7.0	10.0	
7	7.0	7.0	13.0	16.0	19.0	
8	9.0	7.0	7.0	22.0	12.0	
9	7.0	6.0	10.0	10.0	27.0	
10	6.0	7.0	7.0	17.0	11.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
H5	15.24	225.4	544.1	0.41
H4	10.16	135.9	362.7	0.37
H3	7.62	119.5	272.0	0.44
H2	17.78	240.8	634.7	0.38
H1	20.32	291.9	725.4	0.40

Average Density = 0.40

Average Snow Water Equivalent (SWE) = 4.3 cm H₂O

Average Snow Water Equivalent = 1.69 inches H₂O

Average Snow Water Equivalent = 0.14 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: L9312_Sno1
Survey Purpose: Determine snow water equivalent Date: 3/11/2008 Time: 16:00

Location Description:	Started 5 meters north of L9312. Travelled 25 meters northerly towards East. Turned left 90° and travelled 25 meters South			
Survey objective:	Determine Snow Water Equivalent			Weather Observations: -5°F, Windy, Clear
Latitude:	N 70° 19.995'	Longitude:	W 150° 56.918'	Datum: NAD 83
Elevation:	7 ft	Elevation Datum:	BPMSL	Reference Markers: Raft B is marked with lathe
Drainage Basin:	Lake L9312	Slope Direction:	Flat	Vegetation Type: Ice
Slope Angle:	Flat	Access Notes:	Snowmobile	Other:
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names
Snow Tube Type:	Arinodack snow tube			Chad Cormack, Horacio Toniolo

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	39.0	31.0	18.0	37.0	27.0	Average snow depth = <u>26.1</u>
2	51.0	31.0	20.0	42.0	14.0	Maximum snow depth = <u>61.0</u>
3	26.0	23.0	22.0	40.0	17.0	Minimum snow depth = <u>11.0</u>
4	35.0	17.0	11.0	36.0	17.0	Standard variation = <u>10.4</u>
5	32.0	11.0	17.0	25.0	15.0	
6	22.0	37.0	15.0	16.0	17.0	
7	29.0	30.0	22.0	21.0	14.0	
8	30.0	24.0	61.0	18.0	26.0	
9	26.0	29.0	29.0	13.0	31.0	
10	38.0	30.0	25.0	32.0	16.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
Rover 1	35.56	422.5	1269.5	0.33
Yip 2	25.4	266.4	906.8	0.29
K2	30.48	368.2	1088.1	0.34
#1	45.72	516.1	1632.2	0.32
T2	21.59	177.9	770.8	0.23

Average Density = 0.30

Average Snow Water Equivalent (SWE) = 7.9 cm H₂O

Average Snow Water Equivalent = 3.11 inches H₂O

Average Snow Water Equivalent = 0.26 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: L9817-Tundra
Survey Purpose: Determine snow water equivalent Date: 3/12/2008 Time: nr

Location Description:	South side of lake done on tundra. Did "L" shape, started at South by shore and went West 25 x 25m for 1m increments				
Survey objective:	Snow depths and snow-water content for comparison with lake snow survey		Weather Observations:		clear, sunny 20F, 5mph SW wind
Latitude:	N 70° 16.832		Longitude:	W 148° 53.856	
Elevation:	54.98		Elevation Datum:	BPMSL	
Drainage Basin:	L9312		Slope Direction:	Flat	
Slope Angle:	Flat		Access Notes:	Hagglund	
Snow Depth Probe Type:		T-handle probe		Snow-Survey Team Names	
Snow Tube Type:	Arinodack snow tube				Chad Cormack, Dan Reichardt

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	36.0	29.0	22.0	33.0	24.0	Average snow depth = <u>25.4</u>
2	28.0	34.0	29.0	24.0	19.0	Maximum snow depth = <u>52.0</u>
3	23.0	50.0	27.0	21.0	21.0	Minimum snow depth = <u>16.0</u>
4	27.0	52.0	24.0	25.0	17.0	Standard variation = <u>7.6</u>
5	24.0	17.0	32.0	24.0	23.0	
6	17.0	23.0	25.0	23.0	23.0	
7	21.0	17.0	27.0	21.0	29.0	
8	18.0	19.0	23.0	21.0	38.0	
9	23.0	20.0	20.0	30.0	39.0	
10	19.0	16.0	21.0	26.0	28.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
A1	22	163.3	785.4	0.21
A5	18	142.7	642.6	0.22
A3	34	232.6	1213.8	0.19
F1	16	99.1	571.2	0.17
T3	20	126.4	714.0	0.18

Average Density = 0.19
Average Snow Water Equivalent (SWE) = 4.9 cm H₂O
Average Snow Water Equivalent = 1.95 inches H₂O
Average Snow Water Equivalent = 0.16 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: L9817-Lake
Survey Purpose: Determine snow water equivalent Date: 3/12/2008 Time: nr

Location Description:	Conducted on lake. L-shaped, 25 m by 25 m. Measurements took every 1 meter.				
Survey objective:	Snow depths and snow-water content for comparison with lake snow survey		Weather Observations: clear, sunny 20F, 5mph SW wind		
Latitude:	N 70° 19.995'	Longitude:	W 150° 56.918'	Datum:	NAD 83
Elevation:	nr	Elevation Datum:	nr	Reference Markers:	Lathe # 1 on lake
Drainage Basin:		Slope Direction:	Flat	Vegetation Type:	Tussock
Slope Angle:	Flat	Access Notes:	Hagglund	Other:	1 meter increments
Snow Depth Probe Type:	T-handle probe		Snow-Survey Team Names		
Snow Tube Type:	Arinodack snow tube			Chad Cormack, Dan Reichardt	

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	10.0	23.0	7.0	10.0	11.0	Average snow depth = <u>8.0</u>
2	6.0	14.0	2.0	13.0	13.0	Maximum snow depth = <u>23.0</u>
3	5.0	10.0	4.0	13.0	9.0	Minimum snow depth = <u>1.0</u>
4	3.0	10.0	6.0	7.0	6.0	Standard variation = <u>4.5</u>
5	4.0	13.0	1.0	3.0	17.0	
6	5.0	15.0	2.0	3.0	11.0	
7	4.0	10.0	4.0	5.0	6.0	
8	6.0	10.0	2.0	5.0	7.0	
9	12.0	10.0	8.0	8.0	7.0	
10	10.0	9.0	2.0	13.0	5.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
1	6	64.3	214.2	0.30
T2	12	129.0	428.4	0.30
Rover 1	10	115.7	357.0	0.32
Yip 2	8	93.4	285.6	0.33

Average Density = 0.31
Average Snow Water Equivalent (SWE) = 2.5 cm H₂O
Average Snow Water Equivalent = 0.98 inches H₂O
Average Snow Water Equivalent = 0.08 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: KDA2-CT
Survey Purpose: Determine snow water equivalent Date: 3/14/2008 Time: 13:00

Location Description:	At KDA2-CT snow course bears North 25 meters, then West 25 meters.			
Survey objective:	Determine Snow Water Equivalent		Weather Observations:	-35°F, 5 mph wind, clear
Latitude:	N70°19.966'	Longitude:	W14°856.429'	Datum: NAD83
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers: KDA-CT Lathe
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type: Ice
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:
Snow Depth Probe Type:	T-handle probe		Snow-Survey Team Names	
Snow Tube Type:	n/a	Chad Cormack, Horacio Toniolo		

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	4.0	0.0	2.0	0.0	0.0	Average snow depth = <u>0.7</u>
2	0.0	1.0	0.0	0.0	0.0	Maximum snow depth = <u>6.0</u>
3	0.0	1.0	0.0	0.0	0.0	Minimum snow depth = <u>0.0</u>
4	2.0	2.0	0.0	0.0	0.0	Standard variation = <u>1.3</u>
5	0.0	2.0	0.0	1.0	0.0	
6	0.0	6.0	0.0	1.0	0.0	
7	0.0	3.0	0.0	0.0	0.0	
8	1.0	3.0	0.0	0.0	0.0	
9	0.0	2.0	0.0	0.0	0.0	
10	0.0	2.0	0.0	0.0	0.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
*				

*Not enough Snow for Densities

Average Density =

Average Snow Water Equivalent (SWE) = cm H₂O

Average Snow Water Equivalent = inches H₂O

Average Snow Water Equivalent = feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: MSB-CT
Survey Purpose: Determine snow water equivalent Date: 3/15/2008 Time: 11:15

Location Description:	At MSBN-CT snow course bears West 25 meters, then South 25 meters.			
Survey objective:	Determine Snow Water Equivalent		Weather Observations:	-25 F, Calm, Light Clouds
Latitude:	N70°19.280'	Longitude:	W149°24.009'	Datum: NAD83
Elevation:	Approximately 50 ft BPMSL	Elevation Datum:	BPMSL	Reference Markers: Lathe is at MSBN-CT
Drainage Basin:	Milne Creek	Slope Direction:	Flat	Vegetation Type: Ice
Slope Angle:	flat	Access Notes:	Highway Vehicle	Other: glaze lake ice. No or little snow on surface.
Snow Depth Probe Type:	T-handle probe		Snow-Survey Team Names	
Snow Tube Type:	Arinodack snow tube			Dan Reichardt

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
0	0.0	3.0	6.5	3.0	6.0	Average snow depth = <u>4.1</u>
0	0.0	1.0	7.0	1.0	1.0	Maximum snow depth = <u>14.5</u>
0	0.0	1.0	9.0	1.0	0.0	Minimum snow depth = <u>0.0</u>
0	0.0	1.0	11.0	3.0	0.0	Standard variation = <u>4.2</u>
1	1.0	2.0	11.0	5.0	0.0	
1	1.0	2.5	11.5	3.0	0.5	
3	3.0	5.0	13.0	2.0	0.5	
3	3.0	4.0	12.5	11.0	0.5	
2	2.0	1.0	9.0	14.5	8.0	
3	3.0	2.5	4.0	5.0	11.5	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
1A	2.5	36.3	89.3	0.41
3E	4	46.2	142.8	0.32
5C	14	155.6	499.8	0.31
7C	5	56.3	178.5	0.32
Rondy 5	14	196.7	499.8	0.39

Average Density = 0.35

Average Snow Water Equivalent (SWE) = 1.4 cm H₂O

Average Snow Water Equivalent = 0.57 inches H₂O

Average Snow Water Equivalent = 0.05 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: MSB-SNOTUN
Survey Purpose: Determine snow water equivalent Date: 3/15/2008 Time: 12:00

Location Description:	At MSBN-SNOTUN snow course bears West 25 meters, then South 25 meters.			
Survey objective:	Determine Snow Water Equivalent		Weather Observations:	-25 F, Calm, Light Clouds
Latitude:	N70°19.256'	Longitude:	W149°24.242'	Datum: NAD83
Elevation:	Approximately 50 ft BPMSL	Elevation Datum:	BPMSL	Reference Markers: Lathe is at MSBN-SNOTUN in tundra west of Lake
Drainage Basin:	Milne Creek	Slope Direction:	Flat	Vegetation Type: Tussock Tundra
Slope Angle:	flat	Access Notes:	Highway Vehicle	Other: Very thin crust, snow in depressions.
Snow Depth Probe Type:	T-handle probe		Snow-Survey Team Names	
Snow Tube Type:	Arinodack snow tube		Dan Reichardt	

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	36.0	48.5	33.0	23.0	10.0	Average snow depth = <u>27.8</u>
2	37.0	46.0	32.0	19.0	10.5	Maximum snow depth = <u>48.5</u>
3	36.5	38.0	25.0	21.0	20.0	Minimum snow depth = <u>8.0</u>
4	22.5	41.0	20.0	23.0	19.5	Standard variation = <u>10.9</u>
5	19.0	41.0	23.0	36.5	22.5	
6	21.0	43.0	15.0	33.0	16.0	
7	25.0	39.5	22.0	28.5	15.0	
8	41.0	40.0	23.5	26.0	13.0	
9	42.0	36.0	28.0	11.5	8.0	
10	44.0	39.5	33.0	13.5	30.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
7B	30.5	417.3	1088.9	0.38
5B	25	236.1	892.5	0.26
1E	28	280.2	999.6	0.28
3D	25	193.9	892.5	0.22
13D	24	856.8		

Average Density = 0.29

Average Snow Water Equivalent (SWE) = 8.0 cm H₂O

Average Snow Water Equivalent = 3.14 inches H₂O

Average Snow Water Equivalent = 0.26 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Betty Pingo
Survey Purpose: Determine snow water equivalent Date: 3/15/2008 Time: 15:00

Location Description:	Approximately 30 feet from Wyoming Gage. Marked with lathe and rebar			
Survey objective:	Determine Snow Water Equivalent		Weather Observations:	-20°F, 5 mph wind, clear
Latitude:	N 70° 16.831	Longitude:	W 148° 53.8833	Datum: NAD83
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers: lathe
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type: Tundra
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:
Snow Depth Probe Type:	T-handle probe		Snow-Survey Team Names	
Snow Tube Type:	n/a	Chad Cormack, Greta Myerchin		

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	54.0	21.0	38.0	6.0	30.0	Average snow depth = <u>21.9</u>
2	49.0	16.0	33.0	7.0	33.0	Maximum snow depth = <u>54.0</u>
3	29.0	17.0	27.0	7.0	25.0	Minimum snow depth = <u>6.0</u>
4	8.0	19.0	22.0	11.0	41.0	Standard variation = <u>12.2</u>
5	17.0	13.0	17.0	19.0	36.0	
6	22.0	12.0	7.0	21.0	43.0	
7	17.0	22.0	12.0	15.0	24.0	
8	21.0	18.0	12.0	27.0	19.0	
9	13.0	31.0	10.0	53.0	13.0	
10	9.0	25.0	13.0	35.0	8.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
H1	30	315.1	1071.0	0.29
H2	22	Torn Bag	785.4	
H3	18	250.9	642.6	0.39
H4	22	330.4	785.4	0.42
H5	32	372.2	1142.4	0.33

Average Density = 0.36

Average Snow Water Equivalent (SWE) = 7.8 cm H₂O

Average Snow Water Equivalent = 3.09 inches H₂O

Average Snow Water Equivalent = 0.26 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Mile 1
Survey Purpose: Determine snow water equivalent Date: 3/13/2008 Time: 16:00

Location Description:	Upwind side of Ice Road						
Survey objective:	Determine Snow Water Equivalent			Weather Observations:	-20°F, 5 mph wind, clear		
Latitude:	nr	Longitude:	nr	Datum:	nr		
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers:	Mile 1		
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type:	Tundra		
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:			
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names			
Snow Tube Type:	n/a						
		Chad Cormack, Greta Myerchin					

Snow Course Depths, in cm.

	1	2	3	4	5	
1	32.0	20.0	21.0	26.0	21.0	(cm)
2	28.0	27.0	19.0	22.0	25.0	Average snow depth = <u>25.1</u>
3	22.0	23.0	23.0	23.0	28.0	Maximum snow depth = <u>37.0</u>
4	27.0	24.0	21.0	27.0	37.0	Minimum snow depth = <u>15.0</u>
5	15.0	19.0	26.0	25.0	27.0	Standard variation = <u>4.3</u>
6	26.0	24.0	23.0	29.0	32.0	
7	34.0	23.0	26.0	28.0	29.0	
8	29.0	17.0	27.0	21.0	27.0	
9	29.0	17.0	22.0	25.0	26.0	
10	29.0	22.0	29.0	27.0	24.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
1A	17	155.6	606.9	0.26
1B	22	175.9	785.4	0.22
1C	19	158.5	678.3	0.23
1D	22	160.3	785.4	0.20
1E	25	245.0	892.5	0.27

Average Density = 0.24

Average Snow Water Equivalent (SWE) = 6.0 cm H₂O

Average Snow Water Equivalent = 2.35 inches H₂O

Average Snow Water Equivalent = 0.20 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Mile 3
Survey Purpose: Determine snow water equivalent Date: 3/13/2008 Time: 16:00

Location Description:	Upwind side of Ice Road						
Survey objective:	Determine Snow Water Equivalent			Weather Observations:	-20°F, 5 mph wind, clear		
Latitude:	nr	Longitude:	nr	Datum:	nr		
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers:	Mile 11		
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type:	Tundra		
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:			
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names			
Snow Tube Type:	n/a						
		Chad Cormack, Horacio Toniolo					

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	26.0	39.0	34.0	30.0	27.0	Average snow depth = <u>30.0</u>
2	26.0	37.0	29.0	27.0	27.0	Maximum snow depth = <u>52.0</u>
3	21.0	22.0	36.0	22.0	20.0	Minimum snow depth = <u>18.0</u>
4	32.0	29.0	35.0	28.0	20.0	Standard variation = <u>7.3</u>
5	52.0	27.0	35.0	27.0	18.0	
6	45.0	22.0	28.0	26.0	18.0	
7	29.0	29.0	29.0	34.0	21.0	
8	28.0	47.0	36.0	33.0	27.0	
9	33.0	44.0	26.0	30.0	30.0	
10	36.0	37.0	25.0	29.0	33.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
3A	14	90.6	499.8	0.18
3B	26	190.3	928.2	0.21
3C	27.5	195.9	981.8	0.20
3D	23	174.7	821.1	0.21
3E	18	163.6	642.6	0.25

Average Density = 0.21

Average Snow Water Equivalent (SWE) = 6.3 cm H₂O

Average Snow Water Equivalent = 2.49 inches H₂O

Average Snow Water Equivalent = 0.21 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Mile 5
Survey Purpose: Determine snow water equivalent Date: 3/13/2008 Time: 16:00

Location Description:	Upwind side of Ice Road						
Survey objective:	Determine Snow Water Equivalent			Weather Observations:	-20°F, 5 mph wind, clear		
Latitude:	nr	Longitude:	nr	Datum:	nr		
Elevation:	Approximately 10 ft	Elevation Datum:	BPM SL	Reference Markers:	Mile 5		
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type:	Tundra		
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:			
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names			
Snow Tube Type:	n/a						
		Chad Cormack, Greta Myerchin					

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	22.0	30.0	21.0	23.0	22.0	Average snow depth = <u>26.7</u>
2	29.0	31.0	26.0	35.0	23.0	Maximum snow depth = <u>40.0</u>
3	25.0	31.0	18.0	22.0	24.0	Minimum snow depth = <u>14.0</u>
4	29.0	29.0	18.0	22.0	19.0	Standard variation = <u>6.6</u>
5	33.0	39.0	23.0	31.0	19.0	
6	38.0	33.0	27.0	28.0	20.0	
7	40.0	40.0	29.0	24.0	16.0	
8	37.0	32.0	32.0	28.0	14.0	
9	28.0	31.0	31.0	25.0	16.0	
10	20.0	34.0	25.0	21.0	23.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
5A	17	128.2	606.9	0.21
5B	29	293.9	1035.3	0.28
5C	29	279.5	1035.3	0.27
5D	28	316.7	999.6	0.32
5E				

Average Density = 0.27
Average Snow Water Equivalent (SWE) = 7.2 cm H₂O
Average Snow Water Equivalent = 2.85 inches H₂O
Average Snow Water Equivalent = 0.24 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes
Survey Purpose: Determine snow water equivalent

Site Location/Lake ID: **Mile 7 - Oblidiwok Station**
Date: 3/13/2008 Time: 16:00

Location Description:	Oblidiwok Weather Station				
Survey objective:	Determine Snow Water Equivalent			Weather Observations:	-20°F, 5 mph wind, clear
Latitude:	nr	Longitude:	nr	Datum:	nr
Elevation:	Approximately 10 ft	Elevation Datum:	BPM SL	Reference Markers:	Oblidiwok Weather Station
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type:	Tundra
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:	
Snow Depth Probe Type:		T-handle probe		Snow-Survey Team Names	
Snow Tube Type:		n/a		Chad Cormack, Greta Myerchin	

Snow Course Depths, in cm.

	1	2	3	4	5
1	24.0	18.0	16.0	14.0	24.0
2	33.0	29.0	15.0	33.0	21.0
3	18.0	16.0	17.0	42.0	16.0
4	23.0	15.0	21.0	46.0	10.0
5	31.0	16.0	14.0	48.0	10.0
6	38.0	29.0	17.0	40.0	9.0
7	42.0	39.0	22.0	43.0	7.0
8	39.0	43.0	9.0	34.0	9.0
9	24.0	33.0	15.0	35.0	10.0
10	23.0	26.0	25.0	27.0	10.0

Average snow depth =	<u>24.4</u>
Maximum snow depth =	<u>48.0</u>
Minimum snow depth =	<u>7.0</u>
Standard variation =	<u>11.6</u>

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
7A	17	144.0	606.9	0.24
7B	18	167.6	642.6	0.26
7C	19	135.6	678.3	0.20
7D	46	522.6	1642.2	0.32
7E	7	51.7	249.9	0.21

Average Density =	0.24	
Average Snow Water Equivalent (SWE) =	6.0	cm H2O
Average Snow Water Equivalent =	2.35	inches H2O
Average Snow Water Equivalent =	0.20	feet H2O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Mile 11
Survey Purpose: Determine snow water equivalent Date: 3/12/2008 Time: 16:00

Location Description:	Upwind side of Ice Road				
Survey objective:	Determine Snow Water Equivalent			Weather Observations:	-20°F, 5 mph wind, clear
Latitude:	nr	Longitude:	nr	Datum:	nr
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers:	Mile 11
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type:	Tundra
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:	
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names	
Snow Tube Type:	n/a	Chad Cormack, Horacio Toniolo			

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	47.0	26.0	46.0	47.0	37.0	Average snow depth = <u>38.8</u>
2	40.0	35.0	33.0	40.0	30.0	Maximum snow depth = <u>53.0</u>
3	32.0	33.0	41.0	40.0	36.0	Minimum snow depth = <u>21.0</u>
4	38.0	44.0	48.0	51.0	33.0	Standard variation = <u>7.8</u>
5	25.0	36.0	46.0	48.0	38.0	
6	31.0	38.0	48.0	44.0	36.0	
7	25.0	37.0	47.0	53.0	34.0	
8	25.0	50.0	44.0	44.0	30.0	
9	36.0	46.0	46.0	40.0	26.0	
10	21.0	45.0	45.0	41.0	39.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
11A	38	315.2	1356.6	0.23
11B	24	201.3	856.8	0.23
11C	38	354.4	1356.6	0.26
11D	37	340.0	1320.9	0.26
11E	23.5	204.8	839.0	0.24

Average Density = 0.25

Average Snow Water Equivalent (SWE) = 9.6 cm H₂O

Average Snow Water Equivalent = 3.76 inches H₂O

Average Snow Water Equivalent = 0.31 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Mile 13
Survey Purpose: Determine snow water equivalent Date: 3/12/2008 Time: 16:00

Location Description:	Upwind side of Ice Road						
Survey objective:	Determine Snow Water Equivalent			Weather Observations:	-20°F, 5 mph wind, clear		
Latitude:	nr	Longitude:	nr	Datum:	nr		
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers:	Mile 13		
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type:	Tundra		
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:			
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names			
Snow Tube Type:	n/a						
		Chad Cormack, Horacio Toniolo					

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	40.0	31.0	22.0	35.0	65.0	Average snow depth = <u>39.4</u>
2	40.0	29.0	16.0	37.0	74.0	Maximum snow depth = <u>74.0</u>
3	33.0	45.0	36.0	38.0	71.0	Minimum snow depth = <u>12.0</u>
4	33.0	28.0	18.0	33.0	68.0	Standard variation = <u>15.3</u>
5	29.0	43.0	22.0	24.0	62.0	
6	29.0	41.0	26.0	49.0	58.0	
7	32.0	36.0	12.0	45.0	55.0	
8	39.0	46.0	18.0	47.0	53.0	
9	43.0	36.0	22.0	62.0	48.0	
10	38.0	15.0	33.0	64.0	49.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
13A	40	333.8	1428.0	0.23
13B	29.5	241.5	1053.2	0.23
13C	26	230	928.2	0.25
13D	35	339.3	1249.5	0.27
13E	46	593.1	1642.2	0.36

Average Density = 0.27

Average Snow Water Equivalent (SWE) = 10.6 cm H₂O

Average Snow Water Equivalent = 4.16 inches H₂O

Average Snow Water Equivalent = 0.35 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Mile 15
Survey Purpose: Determine snow water equivalent Date: 3/12/2008 Time: 16:00

Location Description:	Upwind side of Ice Road				
Survey objective:	Determine Snow Water Equivalent			Weather Observations:	-20°F, 5 mph wind, clear
Latitude:	nr	Longitude:	nr	Datum:	nr
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers:	Mile 15
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type:	Tundra
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:	
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names	
Snow Tube Type:	n/a	Chad Cormack, Horacio Toniolo			

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	50.0	15.0	43.0	56.0	30.0	Average snow depth = <u>39.3</u>
2	43.0	26.0	46.0	36.0	38.0	Maximum snow depth = <u>79.0</u>
3	44.0	28.0	50.0	35.0	45.0	Minimum snow depth = <u>15.0</u>
4	25.0	30.0	49.0	31.0	65.0	Standard variation = <u>13.1</u>
5	18.0	33.0	39.0	40.0	71.0	
6	79.0	36.0	35.0	50.0	57.0	
7	45.0	44.0	35.0	47.0	27.0	
8	29.0	47.0	43.0	44.0	24.0	
9	25.0	43.0	44.0	33.0	25.0	
10	18.0	50.0	46.0	27.0	27.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
15A	50	535.4	1785.0	0.30
15B	12	209.2	428.4	0.49
15C	21	220.5	749.7	0.29
15D	21	156.6	749.7	0.21
15E	32	325.9	1142.4	0.29

Average Density = 0.32

Average Snow Water Equivalent (SWE) = 12.4 cm H₂O

Average Snow Water Equivalent = 4.88 inches H₂O

Average Snow Water Equivalent = 0.41 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Mile 17
Survey Purpose: Determine snow water equivalent Date: 3/12/2008 Time: 16:00

Location Description:	Upwind side of Ice Road						
Survey objective:	Determine Snow Water Equivalent			Weather Observations:	-20°F, 5 mph wind, clear		
Latitude:	nr	Longitude:	nr	Datum:	nr		
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers:	Mile 17		
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type:	Tundra		
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:			
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names			
Snow Tube Type:	n/a						
		Chad Cormack, Horacio Toniolo					

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	38.0	40.0	9.0	37.0	23.0	Average snow depth = <u>29.2</u>
2	31.0	27.0	22.0	30.0	26.0	Maximum snow depth = <u>51.0</u>
3	30.0	21.0	23.0	18.0	38.0	Minimum snow depth = <u>9.0</u>
4	23.0	13.0	26.0	41.0	34.0	Standard variation = <u>10.0</u>
5	24.0	20.0	37.0	34.0	40.0	
6	30.0	17.0	41.0	33.0	28.0	
7	35.0	20.0	29.0	21.0	39.0	
8	47.0	20.0	31.0	13.0	29.0	
9	50.0	22.0	37.0	16.0	36.0	
10	23.0	22.0	48.0	18.0	51.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
17A	19	128.4	678.3	0.19
17B	24.5	203.2	874.7	0.23
17C	28	227.7	999.6	0.23
17D	29.5	238.3	1053.2	0.23
17E	29	240.5	1035.3	0.23

Average Density = 0.22

Average Snow Water Equivalent (SWE) = 6.5 cm H₂O

Average Snow Water Equivalent = 2.55 inches H₂O

Average Snow Water Equivalent = 0.21 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Mile 19
Survey Purpose: Determine snow water equivalent Date: 3/12/2008 Time: 16:00

Location Description:	Upwind side of Ice Road						
Survey objective:	Determine Snow Water Equivalent			Weather Observations:	-20°F, 5 mph wind, clear		
Latitude:	nr	Longitude:	nr	Datum:	nr		
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers:	Mile 19		
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type:	Tundra		
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:			
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names			
Snow Tube Type:	n/a						
		Chad Cormack, Horacio Toniolo					

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	36.0	55.0	54.0	46.0	45.0	Average snow depth = <u>51.4</u>
2	40.0	48.0	61.0	45.0	41.0	Maximum snow depth = <u>78.0</u>
3	41.0	57.0	61.0	38.0	37.0	Minimum snow depth = <u>36.0</u>
4	48.0	55.0	62.0	36.0	60.0	Standard variation = <u>8.6</u>
5	53.0	61.0	60.0	50.0	78.0	
6	54.0	53.0	63.0	57.0	55.0	
7	53.0	55.0	54.0	48.0	44.0	
8	51.0	58.0	53.0	48.0	47.0	
9	47.0	52.0	56.0	44.0	51.0	
10	69.0	55.0	52.0	44.0	40.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
19A	42	414.3	1499.4	0.28
19B	55	668.8	1963.5	0.34
19C	63.5	681.8	2267.0	0.30
19D	56	530.4	1999.2	0.27
19E	49	533.9	1749.3	0.31

Average Density = 0.30

Average Snow Water Equivalent (SWE) = 15.3 cm H₂O

Average Snow Water Equivalent = 6.03 inches H₂O

Average Snow Water Equivalent = 0.50 feet H₂O

SWE = avg. snow depth*(density snow/density water)

University of Alaska Fairbanks, Water and Environmental Research Center
Form F-012: Snow Depth and Water Content Survey Form

Project ID: North Slope Lakes Site Location/Lake ID: Mile 20+ Rendezvous
Survey Purpose: Determine snow water equivalent Date: 3/12/2008 Time: 16:00

Location Description:	Upwind side of Ice Road						
Survey objective:	Determine Snow Water Equivalent			Weather Observations:	-20°F, 5 mph wind, clear		
Latitude:	nr	Longitude:	nr	Datum:	nr		
Elevation:	Approximately 10 ft	Elevation Datum:	BPMSL	Reference Markers:	Mile 20		
Drainage Basin:	Kuparuk River	Slope Direction:	flat	Vegetation Type:	Tundra		
Slope Angle:	flat	Access Notes:	Highway vehicle	Other:			
Snow Depth Probe Type:	T-handle probe			Snow-Survey Team Names			
Snow Tube Type:	n/a						
		Chad Cormack, Horacio Toniolo					

Snow Course Depths, in cm.

	1	2	3	4	5	(cm)
1	52.0	31.0	37.0	34.0	39.0	Average snow depth = <u>35.0</u>
2	40.0	34.0	26.0	46.0	20.0	Maximum snow depth = <u>52.0</u>
3	27.0	24.0	20.0	44.0	21.0	Minimum snow depth = <u>14.0</u>
4	27.0	31.0	30.0	44.0	22.0	Standard variation = <u>10.1</u>
5	39.0	35.0	24.0	45.0	14.0	
6	41.0	34.0	50.0	44.0	26.0	
7	38.0	40.0	51.0	43.0	21.0	
8	37.0	49.0	37.0	50.0	18.0	
9	33.0	37.0	29.0	47.0	33.0	
10	46.0	52.0	29.0	21.0	36.0	

Snow Sample Depths and Weights

Bag #	Depth (cm)	Weight (gr)	Volume (cm^3)	Density (gr/cm^3)
R1	36.8	340.6	1313.8	0.26
R2	40	305.1	1428.0	0.21
R3	50	471.8	1785.0	0.26
R4	46.2	453.7	1649.3	0.28
R5	33	290.4	1178.1	0.25

Average Density = 0.25

Average Snow Water Equivalent (SWE) = 8.8 cm H₂O

Average Snow Water Equivalent = 3.47 inches H₂O

Average Snow Water Equivalent = 0.29 feet H₂O

SWE = avg. snow depth*(density snow/density water)